

Continuous innovation and a dogged commitment to quality has kept Induro a leader in the premium quality tripod and support gear market. As a result, professionals and enthusiasts around the world reach for an Induro when they head out on assignment or board an airplane for a vacation or holiday trip. One look at the new generation of Induro products and you will understand why Induro is the finest tripod money can buy.

### Designed by Induro in the USA

The new Induro product lineup was designed by our US design team with valuable input from photographers, dealers and engineers. The demands of photographers are always changing, and the only way to keep ahead of these changes is to have a design team that understands the needs of photographers. That is why Induro has a team of designer/photographers always searching for that next new concept.

### The Perfect Tripods for Any Situation

We understand the diverse needs of photographers. That's why Induro offers a wide selection of tripods to fit virtually any shooting situation.

### A quick overview of the new line of Induro tripods:

**INDURO CARBON 8X CT SERIES CARBON FIBER TRIPODS** are the strongest, most stable tripods ever offered. Induro controls every step of the manufacturing process and builds every product to satisfy our very demanding standards. Induro, unlike most companies, has the ability to fabricate their own carbon fiber tubing and takes it one step further than other companies by using 8 layers of Carbon Fiber to produce the strongest legs in the industry (up to 60% stronger overall than conventional carbon fiber material). Manufacturing a Carbon Fiber tripod is an expensive and time-consuming process. However, the final result is an incredibly strong, extremely light tripod.

**INDURO ALLOY AT SERIES ALUMINUM ALLOY TRIPODS** are made from the highest grade Aluminum Alloy and are precision machined to provide unrivalled performance. This series is designed to offer the uncompromising quality, strength and durability demanded by professionals and serious photographers, at a reasonable price. Like all tripods in the new Induro family, the AT Series incorporates the new enhancements that make Induro tripods more rugged, stable and capable of higher load capacity.



Induro CT214 Carbon Fiber Tripod

Induro AT113 Aluminum Alloy Tripod

**INDURO AKB ADVENTURE SERIES TRIPOD KITS** have become one of the most popular series of tripods on the market today. While they were conceived with the budget-conscious photographer in mind, a close look will show that no compromises were made in the materials, design or construction. For ease of operation, the tripod features quick lock legs and a single-action ballhead with quick release plate that allows one-handed adjustments. Built to the same standards, and having the same enhancements as top-of-the-line Induro professional tripods, Induro has created an outstanding tripod outfit for an outstanding price.

#### **A few of the key enhancements:**

- Newly designed spider (the heart of any tripod) with wider stance and V-pattern cross braces for higher load capacity and up to 35% greater stability
- Magnesium spider for added strength and lighter weight than aluminum
- New ergonomic leg lock grips perfectly fit your hand for maximum performance. The textured rubber surface provides a better grip, even when wet or when you're wearing gloves.
- Larger, redesigned center column locking collar for better grip and increased stability
- New leg angle locks provide better contact between the legs and the spider for greater stability



Induro Adventure Series Tripod Kit

- A unique threaded accessory mount socket lets you attach articulated arms, clamps and other mounting devices directly onto the tripod
- A new look, feel and finish that truly places it above other brands. The elegant textured finish adds to the professional look while improving scratch resistance.

#### **Features of Induro Tripods**

- Dust and moisture-resistant leg locks – let you work in virtually any real-world environment without concern. Whether you're in the desert, at the beach, shooting in the swamps or hiking in the woods, Induro support gear can handle it. Just rinse off the legs and they're ready for the next assignment
- Half-turn leg lock mechanisms\* – a simple half turn of the leg locks lets you quickly and easily unlock the sections for fast height adjustment and then tighten them down for rock solid support.
- 3-position Adjustable Angle Leg Locks – accommodate uneven surfaces and awkward shooting situations
- Reversible Center Column – allows low angle shooting
- Interchangeable Rubber Feet and Stainless Steel Spikes\*\* – provide the right contact on any surface or terrain
- Built-in Bubble Level – for critical alignment of panning, stitching and tripod head movements
- Spring Loaded Weight Hook – allows hanging additional weight for added stability during windy conditions
- Reversible Tripod Head Mounting Screw – assures compatibility with virtually any tripod head (1/4-20 or 3/8-16)
- Closed Cell Foam Grip on all 3 legs\*\*\* – provides comfortable, positive handling during cold or wet conditions
- Non-Rotating Leg Sections – for quick and easy setup
- Tripod Head Set Screw – adds additional security by locking tripod heads in place
- 5-year Warranty – all Induro products come with a 5-year manufacturer's warranty

\* Induro Adventure Series tripods come with quick lock leg locks.

\*\* Excluding Adventure series, AT-013, AT-104 and AT-113 tripods.

\*\*\* Induro Adventure Series has foam grip on one leg only.



New Spider Design with wider stance and V-pattern cross braces



3-position Adjustable Angle Leg Locks



Reversible Center Column



Built-in Bubble Level



Closed Cell Foam Grip on 3 legs for CT & AT Series and one leg for Adventure Series



Interchangeable Rubber Feet and Stainless Steel Spikes – CT & AT Series only



New Dust and Moisture-Resistant Ergonomic Leg Lock Grips – CT & AT Series only



New Quick Lock Leg Locks – Adventure Series only

## Tripod Specifications

| CATALOG #   | MODEL # | MAXIMUM HEIGHT COLUMN EXTENDED |      | MAXIMUM HEIGHT COLUMN RETRACTED |      | MINIMUM HEIGHT WITH SHORT COLUMN |     | FOLDED |     | WEIGHT |     | LOAD CAPACITY |     |
|---|---------|--------------------------------|------|---------------------------------|------|----------------------------------|-----|--------|-----|--------|-----|---------------|-----|
|   |         | IN                             | MM   | IN                              | MM   | IN                               | MM  | IN     | MM  | LB     | KG  | LB            | KG  |
| <b>INDURO CT SERIES CARBON FIBER TRIPODS</b>          |         |                                |      |                                 |      |                                  |     |        |     |        |     |               |     |
| 471-014   | CT014   | 55.1                           | 1400 | 46.4                            | 1178 | 5.3                              | 135 | 18.1   | 460 | 2.1    | 1.0 | 11.0          | 5   |
| 471-113   | CT113   | 58.7                           | 1492 | 49.7                            | 1263 | 6.4                              | 163 | 22.8   | 580 | 2.7    | 1.2 | 17.6          | 8   |
| 471-114   | CT114   | 59.3                           | 1505 | 50.1                            | 1272 | 5.9                              | 150 | 19.7   | 500 | 2.8    | 1.3 | 17.6          | 8   |
| 471-213   | CT213   | 64.2                           | 1630 | 55.5                            | 1410 | 6.8                              | 172 | 25.3   | 642 | 3.3    | 1.5 | 26.4          | 12  |
| 471-214   | CT214   | 61.2                           | 1555 | 52.6                            | 1335 | 5.9                              | 150 | 20.9   | 530 | 3.3    | 1.5 | 26.4          | 12  |
| 471-313   | CT313   | 73.1                           | 1858 | 62.6                            | 1590 | 7.4                              | 188 | 28.1   | 715 | 4.9    | 2.2 | 39.6          | 18  |
| 471-314   | CT314   | 74.2                           | 1885 | 63.8                            | 1620 | 6.7                              | 171 | 24.2   | 615 | 5.0    | 2.3 | 39.6          | 18  |
| 471-414   | CT414   | 77.6                           | 1970 | 66.9                            | 1700 | 7.4                              | 189 | 25.8   | 655 | 6.3    | 2.9 | 55.0          | 25  |
| <b>INDURO AT SERIES ALUMINUM ALLOY TRIPODS</b>        |         |                                |      |                                 |      |                                  |     |        |     |        |     |               |     |
| 472-013   | AT013   | 53.9                           | 1370 | 44.9                            | 1140 | 5.7                              | 146 | 20.5   | 520 | 2.5    | 1.1 | 8.8           | 4   |
| 472-014   | AT014   | 56.0                           | 1423 | 46.9                            | 1190 | 5.4                              | 136 | 18.1   | 460 | 2.4    | 1.1 | 8.8           | 4   |
| 472-113   | AT113   | 58.6                           | 1488 | 49.8                            | 1265 | 6.3                              | 160 | 22.6   | 575 | 4.1    | 1.9 | 13.2          | 6   |
| 472-114   | AT114   | 59.7                           | 1516 | 50.8                            | 1290 | 5.9                              | 150 | 19.3   | 490 | 3.3    | 1.5 | 13.2          | 6   |
| 472-213   | AT213   | 65.8                           | 1672 | 56.7                            | 1440 | 6.7                              | 170 | 25.6   | 650 | 4.4    | 2.0 | 22.0          | 10  |
| 472-214   | AT214   | 65.8                           | 1672 | 56.7                            | 1440 | 5.8                              | 148 | 21.5   | 545 | 4.4    | 2.0 | 22.0          | 10  |
| 472-313   | AT313   | 68.9                           | 1750 | 62.2                            | 1580 | 7.3                              | 186 | 28.0   | 710 | 5.8    | 2.6 | 33.0          | 15  |
| 472-413   | AT413   | 72.5                           | 1842 | 67.5                            | 1715 | 8.3                              | 210 | 30.1   | 765 | 7.1    | 3.2 | 44.0          | 20  |
| <b>INDURO AKB SERIES ADVENTURE SERIES TRIPOD KITS</b> |         |                                |      |                                 |      |                                  |     |        |     |        |     |               |     |
| 470-010   | AKB0    | 56.1                           | 1425 | 46.9                            | 1190 | 8.7                              | 220 | 20.5   | 520 | 2.6    | 1.2 | 10.3          | 4.7 |
| 470-011   | AKB1    | 62.2                           | 1580 | 52.8                            | 1340 | 10.1                             | 256 | 26.4   | 670 | 3.6    | 1.6 | 12.8          | 5.8 |
| 470-012   | AKB2    | 65.9                           | 1675 | 57.8                            | 1468 | 10.8                             | 275 | 28.7   | 730 | 4.2    | 1.9 | 18.7          | 8.5 |



## The Ideal Monopods for Tight Spaces

**INDURO CM SERIES CARBON FIBER AND AM SERIES ALUMINUM ALLOY MONOPODS** have also become very important equipment for photographers. They offer support in tight spaces, plus the mobility needed in fast shooting situations. The new Carbon Fiber and Aluminum Alloy models take advantage of many of the refinements found in the new generation of Induro tripods and have up to twice the load capacity of earlier models. They're ideal for photographers on the move – Sports, Nature, Landscape, Travel – and in the studio.

Like the new series of Induro tripods, Induro CM/AM Series monopods have rubberized, half turn leg locks that provide fast setup and incorporate a specially designed dust and moisture-resistant seal to assure reliable performance in virtually any environment. The large rubber foot insures slip-free operation on any surface. For added convenience when carrying a monopod, a belt loop monopod holder is included.



Comfortable Cell Foam Grip and Security Wrist Strap



Ergonomic Leg Locks and Slip-free Rubber Foot

## Features of Induro Monopods

- Dust and Moisture-Resistant Leg Locks – let you work in virtually any real-world environment without concern. Whether you're in the desert, at the beach, shooting in the swamps or hiking in the woods, Induro support gear can handle it. Just rinse off the legs and they're ready for the next assignment.
- Half-Turn Leg Lock Mechanisms – a simple half turn of the leg locks lets you quickly and easily unlock the sections for fast height adjustment and then tighten them down for rock solid support
- Reversible Tripod Head Mounting Screw – assures compatibility with virtually any monopod/tripod head (1/4-20 or 3/8-16)
- Closed Cell Foam Grip – provides comfortable handling during cold or wet conditions
- Non-Rotating Leg Sections – for quick and easy setup
- Monopod Head Set Screw – adds security by locking monopod heads in place
- Wrist strap for additional security

## Monopod Specifications

| CATALOG #                                       | MODEL # | MAXIMUM HEIGHT |      | FOLDED |     | WEIGHT |     | LOAD CAPACITY |    |
|---|---------|----------------|------|--------|-----|--------|-----|---------------|----|
|   |         | IN             | MM   | IN     | MM  | LB     | KG  | LB            | KG |
| <b>INDURO CM Series CARBON FIBER MONOPODS</b>   |         |                |      |        |     |        |     |               |    |
| 471-514   | CM14    | 57.9           | 1470 | 18.9   | 480 | 0.7    | 0.3 | 17.6          | 8  |
| 471-524   | CM24    | 61.6           | 1565 | 19.9   | 505 | 0.9    | 0.4 | 26.4          | 12 |
| 471-525   | CM25    | 58.0           | 1473 | 16.9   | 430 | 0.9    | 0.4 | 22.0          | 10 |
| 471-534   | CM34    | 62.6           | 1590 | 20.3   | 515 | 1.2    | 0.5 | 39.6          | 18 |
| <b>INDURO AM Series ALUMINUM ALLOY MONOPODS</b> |         |                |      |        |     |        |     |               |    |
| 472-514   | AM14    | 57.6           | 1462 | 18.1   | 460 | 0.9    | 0.4 | 17.6          | 8  |
| 472-524   | AM24    | 61.3           | 1558 | 19.3   | 490 | 1.1    | 0.5 | 26.4          | 12 |
| 472-525   | AM25    | 57.9           | 1470 | 16.0   | 407 | 1.1    | 0.5 | 22.0          | 10 |
| 472-534   | AM34    | 62.0           | 1576 | 19.6   | 498 | 1.4    | 0.6 | 39.6          | 18 |

**INDURO®**

INDUROGEAR.COM | 8 WESTCHESTER PLAZA | ELMSFORD, NY 10523 | T 914.347.3300 | F 914.347.3309