



Capture One 12

12.1

Capture One release notes

Capture One is made by Phase One (the world's leading manufacturer of high-end digital camera systems) in collaboration with the world's leading professional photographers.

Capture One is a professional RAW converter offering you ultimate image quality with beautiful colors and incredible detail for more than 500 high-end cameras. It offers state-of-the-art tethered capture, powerful digital asset management, extensive adjustment tools and a flexible workflow through customizable workspaces.

All run modes are included in the one installer and the run mode is determined by the license key used. The trial is also included in the installer and is registered as the full product upon activation. Capture One is available in a number of modes:

- Capture One Pro
- Capture One Pro DB (Digital Back support only)
- Capture One Pro Fujifilm (Fujifilm camera support only)
- Capture One Pro (for Sony) (Sony camera support only)
- Capture One Express Fujifilm (Fujifilm camera support only)
- Capture One Express (for Sony) (Sony camera support only)
- Capture One Studio (Enterprise)
- Capture One CH (Cultural Heritage)

The release notes include notes for all releases of Capture One.
Previous release notes can be found in the Phase One download archive.

Best regards,
Team Phase One

Contents

		Lens support	
12.1.3 Camera Support and Lens Support	4	Phase One Lens Profiles (645)	37
12.1.3 Bug Fixes Mac	4	A-Series and Technical Lens Profiles	37
12.1.2 Camera Support and Lens Support	5	Mamiya Lens Profiles (645)	37
12.1.2 Bug Fixes	6	Hasselblad V and H	38
12.1.1 Bug Fixes	7	Contax 645	38
12.1 Feature summary	8	Fuji Lens Profiles	39
12.1 Feature walk through	9	Sony Lens Profiles	40
12.1 Camera support and Lens support	11	Canon Lens Profiles	42
12.1 Bug Fixes	12	Nikon Lens Profiles	44
System requirements	14	Olympus Lens Profiles	46
Installation	15	Pentax Lens Profiles	46
Recommendations and limitations	16	Panasonic Lens Profiles	47
Known issues	17	Leica Lens Profiles	47
Phase One	18	Fixed Lens Profiles	48
Mamiya Leaf	20		
Leaf and Mamiya Legacy	21		
Fujifilm	22		
Sony	23		
Canon	25		
Nikon	28		
Leica	30		
Olympus	31		
Ricoh	33		
Panasonic	34		
Pentax	35		
Konica Minolta	36		
Other	36		

12.1.3 Camera Support

Phase One

- XT Camera System

12.1.3 Lens Support

Phase One XT

- XT - Rodenstock HR Digaron-S 23mm f/5.6
- XT - Rodenstock HR Digaron-W 32mm f/4
- XT - Rodenstock HR Digaron-W 70mm f/5.6

12.1.3 Bug Fixes Mac

- Fixed a bug where plug-ins would sometimes fail to initialize

12.1.2 Camera Support

Sony

- Sony a7R IV*

*Live-View is not fully supported yet

12.1.2 Lens Support

Pentax

- Pentax SMC-FA 31mm F1.8 AL Limited
- Pentax SMC-FA 35mm F2 AL
- Pentax SMC-FA 50mm F1.4

Leica

- Leica APO-Vario-Elmarit-SL 90-280mm f/2.8-4

12.1.2 Bug Fixes Mac

- Fixed an issue where Canon EOS R lens information would sometimes not show during tethering
- Fixed an issue where the white balance of IIQ files might change when being offline
- Fixed an issue that would sometimes cause a crash when using Luma Mask on large images
- Fixed an issue that would cause a crash when processing to PSD files larger than 2 gb
- Fixed an issue where Panasonic S1R files with ISO 50 would have magenta highlights
- Fixed an issue where processing to TIFF files larger than 2 gb would not work
- Fixed an issue that would cause JPEG2000 to always load sRGB color space
- Fixed an issue that would cause JPEG panorama files to not load
- Fixed an issue where EIP export would sometimes fail
- Fixed an issue where keywords from XMP files would sometimes not synchronize to Capture One
- Fixed an issue where Annotations and Overlays could have an offset when exporting to PSD
- Fixed a number of issues with Tool Locks in Capture One Studio
- Fixed an issue where the license agreement would be difficult to read with dark theme
- Fixed an issue that would cause AppleScript to fail when setting units
- Fixed an issue where Guide Labels would show incorrectly
- Fixed an issue where Color Tag could not be set in Next Capture Metadata
- Fixed an issue where activating as admin would not stick for standard users on the same machine
- Fixed an issue where Light Fall-off in Styles would not apply properly
- Fixed an issue where importing a Lightroom Catalog could sometimes cause changes to existing images
- Fixed an issue where Collection Name Token would sometimes not work as intended
- Fixed an issue where the Crop Mask would always show
- Fixed an issue where adjustments could, in rare occasions, disappear in Sessions
- Fixed an issue where importing a locked Lightroom Catalog would hang Capture One
- Fixed an issue where the Grid Tool might not work correctly as a floating tool
- Fixed an issue where manual entry in the Barcode Scanner Tool would not work correctly

12.1.2 Bug Fixes Window

- Fixed an issue where “show grid while cropping” would be off as default
- Fixed an issue that would sometimes cause a crash when exiting a slideshow
- Fixed an issue where ‘Export as Catalog’ would sometimes not include all images in new Catalog
- Fixed an issue that would sometimes cause a crash when using Luma Mask on large images
- Fixed an issue that would cause a crash when processing to PSD files larger than 2 gb
- Fixed an issue where Panasonic S1R files with ISO 50 would have magenta highlights
- Fixed an issue where processing to TIFF files larger than 2 gb would not work
- Fixed an issue that would cause JPEG2000 to always load sRGB
- Fixed an issue that would cause JPEG panorama files to not load
- Fixed an issue where Canon EOS R lens information would sometimes not show during tethering

12.1.1 Bug Fixes Mac

- Fixed an issue where 'Format' within Process Recipes was still changeable after locking the tools
- Fixed an issue where skipped duplicates were not indicated when importing into a Catalog
- Fixed an issue where the Capture Resolution Ruler action menu would sometimes not function (Capture One CH)
- Fixed an issue that caused Dual Pixel files from Canon EOS R to be unreadable
- Fixed an issue where Canon EOS R would have no lens information when tethering
- Fixed an issue where Nikon P1000 images would sometimes have incorrect lens distortion
- Fixed an issue where multi-exposure images from Canon EOS R would have incorrect white balance

12.1.1 Bug Fixes Windows

- Fixed an issue where 'Erase Images After Copying' could be selected in non-applicable scenarios
- Fixed an issue where Capture One would sometimes not shut down properly on Windows 7
- Fixed an issue where the import dialog would be clipped if maximized to full screen
- Fixed an issue that caused Dual Pixel files from Canon EOS R to be unreadable
- Fixed an issue where Canon EOS R would have no lens information when tethering
- Fixed an issue where Nikon P1000 images would sometimes have incorrect lens distortion
- Fixed an issue where multi-exposure images from Canon EOS R would have incorrect white balance

12.1 Feature summary

Capture One 12.1 is a feature release for the Studio (Enterprise) edition of Capture One.

New general features (Capture One Pro, Fujifilm, Sony & Studio)

- New Grids Tool
- Improved X-Trans rendering (Pro, Pro Fujifilm, Express Fujifilm)
- Improved Fujifilm tethering (Pro, Pro Fujifilm)
- Extended AppleScript functionality (Some functionality exclusively featured in Capture One Studio)
- Improved Overlay controls

New Capture One Studio Exclusive Features

- Barcode Scanner Tool
- Next Capture Backup
- Next Capture Metadata
- Next Capture Keywords
- New Guides Tool
- New Grids Tool
- Improved Overlay functionality
- Tool Locks
- Dedicated Capture One Studio Workspaces
- Canon and Nikon repro profiles
- Capture Pilot now supports guides and overlays from Capture One. Requires update of Capture Pilot, release TBC

Cultural Heritage (CH) Features for Windows

- Auto crop tool (added to Windows application)
- Multi crop (added to Windows application)
- Base Characteristics Tool for CH modes and profiles (added to Windows application)
- Capture resolution ruler (added to Windows application)
- Film Scanning Styles (added to Windows application)
- Cultural Heritage Workspaces (added to Windows application)
- Improved Composition Mode behavior (Windows application)

Other

- This release also contains general bug fixes and under the hood tweaks for all Capture One variants.

Capture One Studio

The photo production solution for enterprise

Generate powerful photography flows for business and e-commerce thanks to automation technology and specialist tools. From multi-user studios to major organizations with in-house image production, Capture One Studio is the ultimate workflow solution for any creative team.

Save time and money

Capture One Studio automates costly processes and time-consuming data entry, so your team can do more with their studio time. Work faster with customized workspaces, streamlined metadata entry and a barcode scanner for automatic asset naming. Plus, simplified subscription and license management makes it easy to centrally manage users and forecast costs.

Eliminate Error

Reduce human error thanks to improved Capture Pilot integration for multi-user, live review. Minimize retouching time and get more accurate product shoots with fine-tuned color profiling for the most popular e-commerce cameras. And Workspace Locks prevent users altering the interface, so multi-user workflows stay compliant – with no costly interruptions.

Security

Don't risk your assets. With instant back-up for tethered cameras during shoots, your content flows are safely secured without the need for extra software. And with premium support, teams quickly get the help they need to focus on what they do best.

A photo production powerhouse

Maximize your productivity with an integrated system designed for business. Implementation is easy – we'll guide you every step of the way in deploying Capture One Studio organization-wide.

Contact us now for a consultation and take your image production to the next level: <https://www.captureone.com/products/studio>

12.1 Feature walk through

*Exclusively featured in Capture One Studio

New Grids Tool

Easily set up your desired grid using the new dedicated Grids Tool, with options for grid type, color, and functionality for following the crop. Toggling Grids and Guides on and off can be done independently from each other, providing full flexibility.

Improved X-Trans rendering (Pro, Express Fujifilm)

Get better rendering of fine details and patterns for X-Trans sensors. Improve overall image quality for Fujifilm camera models without sacrificing performance.

Improved Fujifilm tethering (Pro, Pro Fujifilm)

Zoom and pan during Live View when tethering with Fujifilm cameras.

Improved Overlay Tool

The Overlay Tool has been improved with better precision of sliders, overlay is now relative to crop, option to show or hide overlay, better performance, added list recently used overlays.

Endless possibilities with complete Apple script coverage

Capture One's automation abilities have been extended to the full feature set - with almost endless customization possibilities. The following properties extend to the standard 12 libraries:

- De-select camera
- "Select next/previous" properties for browsers and collections
- "Queued" property for variants
- Modern user script running
- Luma range layer properties
- "Current layer" property
- "Current recipe" property
- Importer ability to handle multiple paths
- Curve tool adjustment properties
- Deselect all cameras / Select camera name "None"
- Color Editor (First iteration)
- Lens correction properties
- Guides*

Barcode Scanner Tool*

Save endless man hours and redefine your workflow as a hands-free experience by connecting a barcode scanner to automatically name captures as you shoot. Plus, mac users can script actions to further enhance the scanning workflow.

These Linear 1D barcodes are currently supported:

- UPC-A,
- EAN-13,
- Interleaved 2 of 5, Straight 2 of 5 industrial
- Code 39, Code 93, Code 128
- Codabar
- Matrix 2 of 5
- Rss-14

Note that 2D barcodes, for example a QR code, are not supported.

The following barcode scanners have been tested to work correctly with Capture One Studio:

- Zebra Motorola Symbol LS2208
- Honeywell Xenon 1900
- Honeywell Xenon 1902g-bf
- Datalogic Gryphon I GD4130

Start with configuring the barcode scanner by scanning the predefined barcode in Capture One, accessible via the "..." menu in the Barcode tool.

- It is important to note that the Barcode tool is intended for use in conjunction with the Next Capture Naming tool. Set up the Next Capture Naming tool with the "Barcode" Token before using the barcode scanner.
- Scan the barcode before capturing the associated image and it will automatically apply to the image name following capture.
- It is possible to edit the data in the Barcode field manually.
- The barcode tool is supported with "bar code done" scripting event (mac only, Studio only) which can then be used to further enhance the workflow. E.g play a chime when the scan registers, make a folder with the scan name, or integrate data retrieval from a spreadsheet with the Next Capture Metadata feature.

Next Capture Metadata / Next Capture Keywords Tool*

The Next Capture Metadata tool allows you to enter the relevant metadata for the next captured image(s), ensuring that product shots are categorized correctly from the get-go. The tool supports:

- Presets (uses existing metadata presets)
- Stacking of presets
- Loading of metadata from the primary variant

Using this approach via the Next Capture Metadata tool allows for front-loading the metadata workflow in anticipation of the next shot. It means users no longer need to capture the image or images to apply metadata, reducing human error arising when the wrong metadata is applied to an image. Combine with the barcode scanner or metadata sources loaded by scripting for a hands-free, high-powered workflow.

New Guides Tool*

A new dedicated Guides Tool, separate from the Grids Tool, provides easy access to precision control of Guides.

- Save Guides as Presets to re-use Guides setup on other images.
- When processing to PSD, Capture One guides can be translated to PS guides in the exported file (for reference in Photoshop)
- Guides have a follow crop option
- The old alignment tool on the toolbar icon is split into a Guides and a Grids toolbar icon
- Note that the guides can only be moved using the Select Cursor Tool

Next Capture Backup Tool*

The Next Capture Backup enables Capture One Studio to automatically create backups of every image captured during a tethered session to another location.

- Built-in backup queue manager will let you pause and resume the backup procedure at any point in time, making it possible to continue the backup even after you have closed and relaunched Capture One Studio, or if the storage destination becomes unavailable.
- Note that backup only works when using a Session, and only for captured files, e.g. no settings files will be backed up.

Workspace and tool locks*

Prevent other users from altering the tools or interface with an admin pin lock for additional security. Save time and costs by eliminating unwanted interruptions and human error, plus ensure compliance across multi-user workflows.

Locks are accessible from the Window> Manage locks... menu, or from the relevant tool “...” menu.

Locks are currently available for:

- Camera and Camera settings
- Next Capture tools
- Processing
- Recipes

PIN lock can be set to prevent unwanted unlocking.

- The PIN can be set in the Window>Set or change PIN menu. To turn off an existing lock, provide the old pin and set the new pin to <blank>.
- PINs are encrypted and stored in the prefs file. In the event that you are unable to clear the locks, delete the application preferences to reset the entire application state.

Dedicated Capture One Studio workspaces*

Our dedicated team of experts deliver customizable workspaces and craft the ultimate workflows to match your organization's productivity needs.

Workspaces fitted with the new Studio tools can be found in the Workspaces menu, or add the new tools to your existing workspace in the usual manner.

12.1 Camera support

Panasonic

- Panasonic LX100 Mark II

Leica

- Leica DLUX 7
- Leica CLUX

Nikon

- Nikon COOLPIX P1000

12.1 Lens support

Fujifilm

- FUJINON XF23mm F1.4 R

Canon

- Canon RF 28-70mm F2 L USM

Nikon

- NIKKOR Z 35mm f/1.8 S*
- NIKKOR Z 50mm f/1.8 S*
- NIKKOR Z 14-30mm f/4 S*
- NIKKOR Z 24-70mm f/4 S*
- NIKKOR Z 24-70mm f/2.8 S*

*Lens profile is embedded in the RAW file and will show as 'Manufacturer Profile'

Additional Notes

Tethered support for Leaf Aptus is no longer supported in Capture One 12.1 and later.

See page 17-18 for supported status of Leaf products

12.1 Bug Fixes Mac

- Fixed a performance issue with metadata synchronization in Catalogs
- Fixed an issue where browser mode was not included in custom workspaces
- Fixed a color issue with CMYK profiles
- Fixed an issue where it would be impossible to drag guides out of the image in Live-View
- Fixed an issue where Capture One might hang when batch promoting variants
- Fixed an issue where images could be marked as 'Adjusted' even with no adjustments applied
- Fixed a performance issue when using Overlays in Live-View
- Fixed an issue where guides would disappear when changing keystone or rotation
- Fixed an issue where there could be a delay in showing the correct content of Session Folders
- Fixed an issue where the Live-View resolution would not follow the size of the window
- Fixed an issue where exported PNG files would always be assigned sRGB color space
- Fixed an issue where watermarks and overlays would be incorrectly placed when using 'Ignore Crop'
- Fixed an issue where the selected thumbnails would not show correctly in the viewer
- Fixed an issue where offline images would not update their thumbnails when adjusted
- Fixed an issue where AppleScript cropping could be off with one pixel
- Fixed a performance issue when auto-adjusting multiple images
- Fixed an issue where the Library would highlight a wrong collection after adding a Favorite
- Fixed an issue with Overlay scaling in Live-View
- Fixed an issue where previewing Styles would mark currently applied Style as 'partly overridden'
- Fixed an issue where 'Ignore Crop' in 'Edit With' would include the crop anyway
- Fixed an issue that could cause Capture One to crash when connecting an IQ4 via WiFi
- Fixed an issue where the order of Process Recipes would sometimes not stick
- Fixed an issue where adding folder on network drives would freeze the Library Tool
- Fixed an issue where double clicking input fields would not highlight the content of the field
- Fixed an issue where connected cameras could not be detached from within Capture One
- Fixed an issue where 'Scaling Unit' property could not be set in a Process Recipe using AppleScript
- Fixed an issue where the scripts menu did not support Javascript
- Fixed an issue where locating a folder could result in a crash
- Fixed an issue where importing a Session could result in a crash
- Fixed an issue where the user had to select a token for its dropdown menu to work
- Fixed an issue where the Camera Tool would not work correctly with multiple Sessions open
- Fixed an issue where the keyboard shortcut for switching between tool tabs would not work
- Fixed an issue where CAPS Lock and Mask shortcuts did not work correctly
- Fixed an issue where some keywords might not appear in the Keyword Library Tool
- Fixed an issue where auto-masking could result in masks going missing
- Fixed an issue where the sample name in Output Naming did not update correctly
- Fixed an issue where images with underscores included in the name would show inconsistently in searches
- Fixed an issue where the Process Recipe tool would look incorrect when dragged out as a floating tool

12.1 Bug Fixes Win

- Fixed an issue where lens names were sometimes not correctly displayed in the metadata tab
- Fixed an issue where the viewer could show more images than the user had selected
- Fixed an issue where changing the unit of output resolution could result in an incorrect scaling
- Fixed an issue where the Camera Settings window would sometimes be cropped
- Fixed an issue where the Focus Meter cursor tool would be too small
- Fixed an issue where Next Capture Metadata would work incorrectly with XMP set to Full Sync
- Fixed an issue where dragging a folder into a Catalog might cause Windows Explorer to freeze
- Fixed an issue where the selected variant would not be remembered after restarting Capture One
- Fixed an issue where time left in the progress bar of building OpenCL kernels was unrealistic
- Fixed an issue where the Loupe Tool would show the wrong image when used on the edge of an image
- Fixed an issue where moving Process Recipes to different computers could lose some of the information
- Fixed an issue where it would be impossible to delete empty keywords
- Fixed an issue where Export Originals and Export Variants would show the same dialog for collections
- Fixed an issue where GPS data would not be included in exported images in certain scenarios
- Fixed an issue where some adjustments from a Lightroom Catalog would not be imported correctly
- Fixed an issue where metadata fields would sometimes not expand correctly
- Fixed an issue where deleting a folder from Catalog Folders could cause a failed verification of the Catalog
- Fixed an issue where the token 'Destination Folder Name' would use an incorrect destination
- Fixed an issue where copying specific adjustments from primary or last image did not work correctly
- Fixed an issue where a slideshow would start on the wrong monitor when using two monitors
- Fixed an issue where keywords with many hierarchies might result in a crash
- Fixed an issue where resetting individual curve channels did not work
- Fixed an issue where filters would not update correctly when using XMP Full Sync
- Fixed an issue where changing the workspace would maximize the Capture One window
- Fixed an issue where star ratings would sometimes not be updated correctly
- Fixed an issue where selecting and deselecting a compare variant would not update the selection
- Fixed an issue where the highlight picker in Levels provided inconsistent results
- Fixed an issue where the arrow keys would not work in a slideshow
- Fixed an issue where the image counter would sometimes be incorrect
- Fixed an issue where files without a creation date would automatically get an incorrect date assigned
- Fixed a color issue with CMYK profiles

System requirements

We recommend that your computer has at least the minimum specifications outlined below to run Capture One.

Microsoft® Windows® minimum requirements

- Intel or AMD CPU with 2 cores
- 8 GB of RAM
- 10 GB of free hard disk space
- Calibrated monitor with 1280x800, 24-bit resolution at 96dpi
- Windows 7® SP1 64-bit, Windows 8.1® 64-bit, Windows 10® 64-bit*
- Microsoft® .NET Framework version 4.7 (will be installed if not present)

**Support for Capture One 12 on Windows 10 is supported for builds supporting .NET 4.7
- This is currently from Windows 10 Anniversary Update (build 1607) through to October 2018 Update (build 1809).*



Apple® Macintosh® minimum requirements

- Intel CPU with 2 cores
- 8 GB of RAM
- 10 GB of free hard disk space
- Calibrated monitor with 1280x800, 24-bit resolution at 96dpi
- macOS 10.12.6, macOS 10.13.6 macOS 10.14*

**Support for macOS 10.14 is supported for builds up to 10.14.5*



Recommended system requirements

If working with high-resolution images and doing calculation-heavy adjustments we recommend the following:

- Intel CPU with 4+ cores
- 16+ GB of RAM
- Solid State Disk (SSD)
- Dual (matching) Graphics card from NVIDIA or AMD with 4GB+ RAM per card
- Calibrated monitor with at least 1920x1200, 24-bit resolution at 96dpi

Note: Due to the significant additional calculation overhead, systems using 4k/5k monitors will require additional resources in addition to the above recommended spec (both in GPU and CPU power). For a Professional experience we recommend at least doubling the specification above for these configurations.

Installation

Capture One 12 is compatible with previous 11.x, 10.x, 9.x, 8.x, 7.x and 6.x versions. For existing users it is recommended to migrate images from 5.x and 4.x to at least version 8.x first, before opening in 12.x

It is generally recommended that you only install one version of Capture One.

Install on Windows

Capture One includes an easy-to-use installer that will install all the software you need to run the application on a Windows based computer.

To install the software, please follow the procedure below:

- Download the application from the Phase One website: <http://www.phaseone.com/downloads.aspx>
- Run the executable software install file (.exe)
- Read and accept the license agreement when presented.
- Follow the on-screen instructions to complete the installation.
- Read and accept the license agreement when presented.

In addition, Leaf and Mamiya DM Back users should install specific Leaf drivers before connecting their back by selecting Install Leaf Drivers from the Capture One menu in the application. We recommend that you quit Capture One and restart the computer after the installation.



Install on OS X

Capture One includes an easy-to-use installer that will install all the software necessary to run the application on OS X.

To install the software, please follow the procedure below:

- Download the application from the Phase One website: <http://www.phaseone.com/downloads.aspx>
- Open the Capture One disk image (.dmg)
- Drag the Capture One icon to the Applications folder.
- Start the Capture One application from your Applications folder.
- Read and accept the license agreement when presented.

Recommendations and limitations

All users

- When you have disconnected a camera do not reconnect a camera until the Camera tool status changes to "No Camera Attached".
- DNG support not optimized for some cameras.

- For Leaf Backs and Mamiya DM systems, the camera body must be selected in application preferences before connecting the back.
- For Leaf Backs and Mamiya DM systems, in the case of a communication error during firmware upload, please wait 10 minutes before disconnecting the FireWire cable.
- Leaf Aptus II 8 only works with black and white Live View.
- Focus controls for iXR and iXA cameras are only supported by IQ and Credo backs.
- Orientation override does not work in live view for Leaf Aptus/AFi backs. Users wishing to lock orientation during live view should use the camera orientation setting.

Other camera users

- The following functionality is not supported for Fujifilm X-trans RAW files: processing/exporting to DNG.
- Some cameras provide mutlshot functionality by way of (e.g.) multiple exposure or pixel shifting. In most cases the functionality will not be available in Capture One, however a single RAW file from the "stack" may be viewable and editable in Capture One (as if it was a shot in single Capture mode).

Digital Back users

- Battery charging on IQ systems can cause issues with stability over Thunderbolt adapters or in low power devices such as laptops. Switch charging off in the digital back menu if you suffer repeated disconnections.
- For tethered shooting with Phase One or Credo digital backs make sure that your system can either supply at least 10W power via FireWire (more than most laptops can supply) or make sure to activate the "Force Battery" setting on the back. Use the 4.5m Phase One FireWire cable.
- For tethered shooting with Leaf Aptus and Mamiya DM digital backs make sure that your system can supply at least 12W of power via FireWire (more than most laptops can supply). Use a Leaf or Mamiya FireWire cable and repeater.
- Unless otherwise specified for your Phase One camera system, do not open the shutter on the camera prior to opening the Live View window. Doing so will generate errors on the digital back after closing the Live View window. The recommended procedure for using Live View is to first open the Live View window, then open the shutter on the camera, use Live View as desired, when done, close the shutter on the camera, and close the Live View window.

Known issues

Below you will find a list of known issues for Capture One at the time of shipping:

All users

- Browsing folders containing unsupported image files may affect application performance.
- Previews from earlier versions of Capture One may be updated. In some cases, this can affect the application performance the first time images are viewed in this version of Capture One.
- If using a non US laptop keyboard it might be preferable to change some of the standard keyboard shortcuts.
- Editing images in external applications other than Adobe Photoshop might result in unexpected behavior.
- Operation under virtualization software (e.g. Parallels, Hackintosh etc) may cause instability. We do not recommend you use these OS configurations.

Mac users

- Live View over USB can stall without the use of a repeater.

Windows users

- Windows drivers are required for some older models of Canon DSLR cameras to be able to shoot tethered. These drivers are available from Canon's web site.
- If you have Bonjour 2.0.3 installed you may experience problems with Capture Pilot. Bonjour 2.0.2 (shipping with Capture One 9) and 2.0.4 (shipped with iTunes) have been tested to work with Capture Pilot. To check the version number of Bonjour, go to 'Control Panel' and select 'Programs and Features'.
- Importing a catalog can result in the last picture not getting imported.
- Operation under RAMDisk by Dataram is known to cause issues with disk labeling. Capture One is not supported with this configuration.
- Plays.TV/Raptr installed along with some AMD devices can cause instability

File support: Notes and limitations

The appendices below contain the data sheets for supported cameras in Capture One. The information here is subject to change. Some errors may be omitted. For issues and clarification on any camera listed here, contact Phase One Support via support.phaseone.com

Capture One DNG colors

Capture One has the ability to treat and display camera files that were converted to DNG, as if it was the original RAW. The file in question has to come from a camera we officially support with native RAW support and the RAW data also needs to have been embedded in the DNG at the point of conversion. Note we do not support Adobe Lens or Color Profiles in this workflow.

Other file support

TIF/JPG/PSD/PNG files that are not in an RGB color space cannot be adjusted within Capture One and will be read-only.

Layered Tiff: Capture One 9.1 onward can support Tiff files with alpha channel or layers saved in the file (from other apps like Adobe Photoshop) but for viewing purposes only. Reprocessing the image will result in a new flattened image.

PSD: Capture 10.1 onward can support PSD files in the viewer. The PSD can contain any adjustments, layers, text or smart objects but must be saved in Photoshop with "maximize compatibility" enabled. Reprocessing the image from Capture One will result in a new flattened image.

File size limitations:

- Smallest supported file for viewing: minimum side of 16px
- Smallest supported file for editing: minimum side of 512px.
- Largest supported file: Width x Height must be smaller than 40000 x 20000 pixels or sum thereof.

Camera support:

RAW files support is listed below with known limitations listed in the notes section. Special or auxiliary modes (like pixel shift) are only supported if noted. If the information below is incomplete or you need specific information pertaining to support in Capture One please make a support case - support.phaseone.com

Model	Version Added	Required Run Modes	Tethered/Live View	File Support	Notes
IQ4 150MP	11.2.1	DB or Pro	Yes/Yes	IIQ 16bit/ IIQ L/ IIQ S / Jpeg	None
IQ4 100MP Trichromatic	11.2.1	DB or Pro	Yes/Yes	IIQ 16bit/ IIQ L/ IIQ S / Jpeg	None
IQ3 100MP Trichromatic	10.2.0	DB or Pro	Yes/Yes	IIQ 16bit/ IIQ L/ IIQ S	None
IQ3 100MP	9.0.2	DB or Pro	Yes/Yes	IIQ 16bit/ IIQ L/ IIQ S	None
IQ3 100MP Achromatic	10.1.1	DB or Pro	Yes/Yes	IIQ 16bit/ IIQ L/ IIQ S	None
IQ3 80MP	8.3.4	DB or Pro	Yes/Yes	IIQ L/IIQ S	None
IQ3 60MP	8.3.4	DB or Pro	Yes/Yes	IIQ L/IIQ S	None
IQ3 50MP	8.3.4	DB or Pro	Yes/Yes	IIQ L/IIQ S	None
IQ280	7.2.4	DB or Pro	Yes/Yes	IIQ L/IIQ S	None
IQ260	7.2.4	DB or Pro	Yes/Yes	IIQ L/IIQ S	None
IQ260 Achromatic	7.2.4	DB or Pro	Yes/Yes	IIQ L/IIQ S	No Live view
IQ250	7.2.4	DB or Pro	Yes/Yes	IIQ L/IIQ S	None
IQ1 100MP	9.3.0	DB or Pro	Yes/Yes	IIQ 16bit/ IIQ L/ IIQ S	None
IQ180	6.4.5	DB or Pro	Yes/Yes	IIQ L/IIQ S	None
IQ160	6.4.5	DB or Pro	Yes/Yes	IIQ L/IIQ S	None
IQ160 Achromatic	7.2.4	DB or Pro	Yes/No	IIQ L/IIQ S	No Live view
IQ150	8.3.4	DB or Pro	Yes/Yes	IIQ L/IIQ S	None
IQ140	6.4.5	DB or Pro	Yes/Yes	IIQ L/IIQ S	None
P65+	4.8.3	DB or Pro	Yes/Yes	IIQ L/IIQ S	None
P40+	4.8.3	DB or Pro	Yes/Yes	IIQ L/IIQ S	None
P45+	3.7.9	DB or Pro	Yes/Yes	IIQ L/IIQ S	None
P30+	3.7.9	DB or Pro	Yes/Yes	IIQ L/IIQ S	None
P25+	3.7.9	DB or Pro	Yes/Yes	IIQ L/IIQ S	None
P21+	3.7.9	DB or Pro	Yes/Yes	IIQ L/IIQ S	None
P20+	3.7.9	DB or Pro	Yes/Yes	IIQ L/IIQ S	None
Achromatic+	5.2.1	DB or Pro	Yes/No	IIQ L/IIQ S	No Live view
P45	3.7.9	DB or Pro	Yes/Yes*	IIQ L/IIQ S	Live view upgrade required
P30	3.7.9	DB or Pro	Yes/Yes*	IIQ L/IIQ S	Live view upgrade required
P25	3.7.9	DB or Pro	Yes/No	IIQ L/IIQ S/ Uncompressed	None
P21	3.7.9	DB or Pro	Yes/Yes*	IIQ L/IIQ S	Live view upgrade required
P20	3.7.9	DB or Pro	Yes/No	IIQ L/IIQ S/ Uncompressed	None
H 25	3.7.9	DB or Pro	Yes/No	IIQ/TIF Uncompressed	None
H 20	3.7.9	DB or Pro	Yes/No	IIQ/TIF Uncompressed	None
H 101	3.7.9	DB or Pro	Yes/No	IIQ/TIF Uncompressed	None
H 10	3.7.9	DB or Pro	Yes/No	IIQ/TIF Uncompressed	None
H 5	3.7.9	DB or Pro	Yes/No	IIQ/TIF Uncompressed	None
LightPhase	3.7.9	DB or Pro	Yes/No	IIQ/TIF Uncompressed	None

Model	Version Added	Required Run Modes	File Support	Tethered/Live View	Notes
iXM-RS150F	11.3	DB or Pro	IIQ 16bit/ IIQ L/ IIQ S	Yes/Yes	None
iXM-100	11.2	DB or Pro	IIQ 16bit/ IIQ L/ IIQ S	Yes/Yes	None
iXG-100MP	10.1.1	DB or Pro	IIQ 16bit/ IIQ L/ IIQ S	Yes/Yes	None
iXG-100MP Achromatic	10.2.0	DB or Pro	IIQ 16bit/ IIQ L/ IIQ S	Yes/Yes	None
iXG-50MP	10.2.0	DB or Pro	IIQ L/IIQ S	Yes/Yes	None
iXU-1000 Achromatic	10.2.0	DB or Pro	IIQ L/IIQ S	Yes/Yes	None
iXU-RS1000	9.3.0	DB or Pro	IIQ L/IIQ S	Yes/Yes	None
iXU-RS1000 Achromatic	10.2.0	DB or Pro	IIQ L/IIQ S	Yes/Yes	None
iXU-RS180	9.3.0	DB or Pro	IIQ L/IIQ S	Yes/No	No live view
iXU-RS160 Achromatic	9.3.0	DB or Pro	IIQ L/IIQ S	Yes/No	No live view
iXU-RS160	9.3.0	DB or Pro	IIQ L/IIQ S	Yes/No	No live view
iXU-1000	9.3.0	DB or Pro	IIQ L/IIQ S	Yes/Yes	None
iXU150	8.3.4	DB or Pro	IIQ L/IIQ S	Yes/Yes	None

Model	Version Added	Required Run Modes	File Support	Tethered/Live View	Notes
Credo 80	6.4.5	DB or Pro	IIQ L/IIQ S	Yes/Yes	None
Credo 60	6.4.5	DB or Pro	IIQ L/IIQ S	Yes/Yes	None
Credo 50	7.2.4	DB or Pro	IIQ L/IIQ S	Yes/Yes	None
Credo 40	6.4.5	DB or Pro	IIQ L/IIQ S	Yes/Yes	None
Aptus-II 12R	6.4.5	DB or Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
Aptus-II 12	6.4.5	DB or Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
Aptus-II 10R	5.2.1	DB or Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
Aptus-II 10	5.2.1	DB or Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
Aptus-II 8	5.2.1	DB or Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
Aptus-II 7	5.2.1	DB or Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
Aptus-II 6	5.2.1	DB or Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
Aptus-II 5	5.2.1	DB or Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
AFi-II 12	6.4.5	DB or Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
AFi-II 10	5.2.1	DB or Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
AFi-II 7	5.2.1	DB or Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
AFi-II 6	5.2.1	DB or Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward

Leaf and Mamiya Legacy

Model	Version Added	Required Run Modes	File Support	Tethered/Live View	Notes
Aptus 75S	5.2.1	Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
Aptus 65S	5.2.1	Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
Aptus 54S	5.2.1	Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
AFi 7	5.2.1	Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
AFi 6	5.2.1	Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
AFi 5	5.2.1	Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
Aptus 75	5.2.1	Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
Aptus 65	5.2.1	Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
Aptus 22	5.2.1	Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
Aptus 17	5.2.1	Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward

Model	Version Added	Required Run Modes	File Support	Tethered/Live View	Notes
DM56	5.2.1	Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
DM40	5.2.1	Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
DM33	5.2.1	Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
DM28	5.2.1	Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
DM22	5.2.1	Pro	MOS compressed/uncompressed	No/No*	Tethered not supported from 12.1 and forward
M31	4.8.3	DB or Pro	IIQ L/IIQ S	Yes/No	None
M22	4.8.3	DB or Pro	IIQ L/IIQ S	Yes/No	None
M18	4.8.3	DB or Pro	IIQ L/IIQ S	Yes/No	None

Model	Version Added	Required Run Modes	File support	Tethered/Live View	Notes
MZD	4.8.3	Pro	MEF	No/No	None
ZD back	4.8.3	Pro	MEF	No/No	None



Fujifilm

Model	Version Added	Required Run Modes	File Support	Tethered/Live View	Notes
GFX 100	12.0.4	Express Fuji/Pro Fuji/Pro	RAF	Yes/Yes*	Pro Fuji/Pro required for tethering + Live View. Xtrans to DNG not supported
GFX 50R	12.0	Express Fuji/Pro Fuji/Pro	RAF	Yes/Yes*	Pro Fuji/Pro required for tethering + Live View. Xtrans to DNG not supported
GFX 50S	11.3	Express Fuji/Pro Fuji/Pro	RAF	Yes/Yes*	Pro Fuji/Pro required for tethering + Live View. Xtrans to DNG not supported
X-Pro2	9.1.1	Express Fuji/Pro Fuji/Pro	RAF	Yes/Yes*	Pro Fuji/Pro required for tethering + Live View. Xtrans to DNG not supported
X-Pro1	7.2.4	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X-H1	11.1.0	Express Fuji/Pro Fuji/Pro	RAF	Yes/Yes*	Pro Fuji/Pro required for tethering + Live View. Xtrans to DNG not supported
X-T3	11.3	Express Fuji/Pro Fuji/Pro	RAF	Yes/Yes*	Pro Fuji/Pro required for tethering + Live View. Xtrans to DNG not supported
X-T2	9.3.0	Express Fuji/Pro Fuji/Pro	RAF	Yes/Yes*	Pro Fuji/Pro required for tethering + Live View
X-T1	7.2.4	Express Fuji/Pro Fuji/Pro	RAF	Yes/No*	Pro Fuji/Pro required for tethering. Live View + Xtrans to DNG not supported
X100F	10.0.2	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X100T	8.3.4	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X100S	7.2.4	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X100	6.4.5	Express Fuji/Pro Fuji/Pro	RAF	No/No	None
X-T100	11.3	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X-T30	12.0.2	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X-T20	10.1.0	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X-T10	11.3	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X-A20	11.3	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X-A10	10.1.0	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
XT10	8.3.4	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X10	6.4.5	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
XQ2	10.1.0	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
XQ1	7.2.4	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X-A5	11.3	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X-A3	10.0.2	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X-A2	8.3.4	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X-A1	7.2.4	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X-M1	7.2.4	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X-S1	7.2.4	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X-E3	11.0.1	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X-E2s	9.3.0	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X-E2	7.2.4	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X-E1	7.2.4	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
XF10	11.3	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
XF1	8.3.4	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X70	9.3.0	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X30	8.3.4	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
X20	7.2.4	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
S5 Pro	3.7.9	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
S3 Pro	3.7.9	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported
S2 Pro	3.7.9	Express Fuji/Pro Fuji/Pro	RAF	No/No	Xtrans to DNG not supported

Model	Version Added	Required run modes	File Support	Tethered/Live View	Notes
a9	10.1.0	Express Sony/Pro Sony/Pro	ARW	Yes*/Yes*	Pro Sony/Pro required for tethering + Live View
a7R IV	12.1.2	Express Sony/Pro Sony/Pro	ARW	Yes*/No*	Pro Sony/Pro required for tethering
a7R III	10.2.1	Express Sony/Pro Sony/Pro	ARW	Yes*/Yes*	Pro Sony/Pro required for tethering + Live View
a7R II	8.3.4	Express Sony/Pro Sony/Pro	ARW	Yes*/Yes*	Pro Sony/Pro required for tethering + Live View
a7R	7.2.4	Express Sony/Pro Sony/Pro	ARW	Yes*/No*	Pro Sony/Pro required for tethering
a7S II	8.3.4	Express Sony/Pro Sony/Pro	ARW	Yes*/Yes*	Pro Sony/Pro required for tethering + Live View
a7S	8.3.4	Express Sony/Pro Sony/Pro	ARW	Yes*/Yes*	Pro Sony/Pro required for tethering + Live View
a7 III	11.1.0	Express Sony/Pro Sony/Pro	ARW	Yes/Yes*	Pro Sony/Pro required for tethering + Live View
a7 II	8.3.4	Express Sony/Pro Sony/Pro	ARW	Yes*/Yes*	Pro Sony/Pro required for tethering + Live View
a7	7.2.4	Express Sony/Pro Sony/Pro	ARW	Yes*/No*	Pro Sony/Pro required for tethering
a6500	10.0.0	Express Sony/Pro Sony/Pro	ARW	Yes*/Yes*	Pro Sony/Pro required for tethering + Live View
a6400	12.0.3	Express Sony/Pro Sony/Pro	ARW	Yes*/Yes*	Pro Sony/Pro required for tethering + Live View
a6300	9.1.0	Express Sony/Pro Sony/Pro	ARW	Yes*/Yes*	Pro Sony/Pro required for tethering + Live View
a6000	8.3.4	Express Sony/Pro Sony/Pro	ARW	Yes*/No*	Pro Sony/Pro required for tethering
a5100	8.3.4	Express Sony/Pro Sony/Pro	ARW	Yes*/No*	Pro (for Sony)/Pro required for tethering
a5000	8.3.4	Express Sony/Pro Sony/Pro	ARW	Yes*/No*	Pro Sony/Pro required for tethering
a3500	10.0.0	Express Sony/Pro Sony/Pro	ARW	No/No	None
a3000	8.3.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
NEX-7	6.4.5	Express Sony/Pro Sony/Pro	ARW	No/No	None
NEX-6	7.2.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
NEX-5T	7.2.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
NEX-5R	7.2.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
NEX-5N	6.4.5	Express Sony/Pro Sony/Pro	ARW	No/No	None
NEX-5	6.4.5	Express Sony/Pro Sony/Pro	ARW	No/No	None
NEX-3N	7.2.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
NEX-F3	7.2.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
NEX-C3	6.4.5	Express Sony/Pro Sony/Pro	ARW	No/No	None
NEX-3	6.4.5	Express Sony/Pro Sony/Pro	ARW	No/No	None
NEX-VG900	8.3.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
NEX-VG30	8.3.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
NEX-VG20	8.3.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
a99 II	10.0	Express Sony/Pro Sony/Pro	ARW	Yes*/Yes*	Pro Sony/Pro required for tethering + Live View
a99	7.2.4	Express Sony/Pro Sony/Pro	ARW	Yes*/No*	Pro Sony/Pro required for tethering
a77 II	8.3.4	Express Sony/Pro Sony/Pro	ARW	Yes*/Yes*	Pro Sony/Pro required for tethering + Live View
a77	7.2.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
a68	9.1.0	Express Sony/Pro Sony/Pro	ARW	Yes*/Yes*	Pro Sony/Pro required for tethering + Live View
a65	7.2.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
a58	7.2.4	Express Sony/Pro Sony/Pro	ARW	No/No	None



Sony

Model	Version Added	Required run modes	File Support	Tethered/Live View	Notes
a57	7.2.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
a55	6.4.5	Express Sony/Pro Sony/Pro	ARW	No/No	None
a37	8.3.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
a35	6.4.5	Express Sony/Pro Sony/Pro	ARW	No/No	None
a33	6.4.5	Express Sony/Pro Sony/Pro	ARW	No/No	None
a900	4.8.3	Express Sony/Pro Sony/Pro	ARW	No/No	None
a850	5.2.1	Express Sony/Pro Sony/Pro	ARW	No/No	None
a700	4.8.3	Express Sony/Pro Sony/Pro	ARW	No/No	None
a580	6.4.5	Express Sony/Pro Sony/Pro	ARW	No/No	None
a560	8.3.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
a550	5.2.1	Express Sony/Pro Sony/Pro	ARW	No/No	None
a500	5.2.1	Express Sony/Pro Sony/Pro	ARW	No/No	None
a450	6.4.5	Express Sony/Pro Sony/Pro	ARW	No/No	None
a390	7.2.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
a380	5.2.1	Express Sony/Pro Sony/Pro	ARW	No/No	None
a350	4.8.3	Express Sony/Pro Sony/Pro	ARW	No/No	None
a330	5.2.1	Express Sony/Pro Sony/Pro	ARW	No/No	None
a300	4.8.3	Express Sony/Pro Sony/Pro	ARW	No/No	None
a290	8.3.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
a230	5.2.1	Express Sony/Pro Sony/Pro	ARW	No/No	None
a200	4.8.3	Express Sony/Pro Sony/Pro	ARW	No/No	None
a100	3.7.9	Express Sony/Pro Sony/Pro	ARW	No/No	None
HX99	12.0.3	Express Sony/Pro Sony/Pro	ARW	No/No	None
QX-1	8.3.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
RX1RM2	8.3.4	Express Sony/Pro Sony/Pro	ARW	Yes*/Yes*	Pro Sony/Pro required for tethering + Live View
RX1R	7.2.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
RX1	7.2.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
RX10M4	10.2.1	Express Sony/Pro Sony/Pro	ARW	Yes*/Yes*	Pro Sony/Pro required for tethering + Live View
RX10M3	9.1.1	Express Sony/Pro Sony/Pro	ARW	Yes*/Yes*	Pro Sony/Pro required for tethering + Live View
RX10M2	8.3.4	Express Sony/Pro Sony/Pro	ARW	Yes*/Yes*	Pro Sony/Pro required for tethering + Live View
RX10	7.2.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
RX100M6	11.3	Express Sony/Pro Sony/Pro	ARW	No/No	None
RX100M5a	11.3	Express Sony/Pro Sony/Pro	ARW	No/No	None
RX100M5	10.0.0	Express Sony/Pro Sony/Pro	ARW	Yes*/Yes*	Pro Sony/Pro required for tethering + Live View
RX100M4	8.3.4	Express Sony/Pro Sony/Pro	ARW	Yes*/Yes*	Pro Sony/Pro required for tethering + Live View
RX100M3	8.3.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
RX100M2	7.2.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
RX100	7.2.4	Express Sony/Pro Sony/Pro	ARW	No/No	None
R1	3.7.9	Express Sony/Pro Sony/Pro	SR2	No/No	None
RX0	10.2.1	Express Sony/Pro Sony/Pro	ARW	No/No	None

Model	Version Added	Required Run Modes	File Support	Tethered/Live View	Notes
EOS RP	12.0.4	Pro	CR3	Yes/Yes	None
EOS R	12.0.0	Pro	CR3	Yes/Yes	None
1D C	7.2.4	Pro	CR2	Yes/Yes	None
1D X Mark II	9.1.2	Pro	CR2	Yes/Yes	Face detection Auto focus not supported in Live View
1D X	6.4.5	Pro	CR2	Yes/Yes	None
1D Mark IV	5.2.1	Pro	CR2	Yes/Yes	None
1Ds Mark III	3.7.9	Pro	CR2	Yes/Yes	None
1D Mark III	3.7.9	Pro	CR2	Yes/Yes	None
1D Mark II N	3.7.9	Pro	CR2	No/No	None
1Ds Mark II	3.7.9	Pro	CR2	No/No	None
1D Mark II	3.7.9	Pro	CR2	No/No	None
1Ds	3.7.9	Pro	CR2	No/No	None
1D	3.7.9	Pro	CR2	No/No	None
5DS	9.3.0	Pro	CR2	Yes/Yes	None
5DS R	9.3.0	Pro	CR2	Yes/Yes	None
5D Mark IV	9.3.0	Pro	CR2	Yes/Yes	Dual pixel AF adjustment not supported
5D Mark III	6.4.5	Pro	CR2	Yes/Yes	None
5D Mark II	4.8.3	Pro	CR2	Yes/Yes	None
5D	3.7.9	Pro	CR2	No/No	None
6D Mark II	10.2.0	Pro	CR2	Yes/Yes	None
6D	7.2.4	Pro	CR2	Yes/Yes	None
7D Mark II	8.3.4	Pro	CR2	Yes/Yes	None
7D	5.2.1	Pro	CR2	Yes/Yes	None
80D	9.1.2	Pro	CR2	Yes/Yes	mRAW not supported
77D	10.2.0	Pro	CR2	Yes/Yes	None
70D	7.2.4	Pro	CR2	Yes/Yes	None
60D	7.2.4	Pro	CR2	Yes/Yes	None
50D	7.2.4	Pro	CR2	Yes/Yes	None
40D	3.7.9	Pro	CR2	Yes/Yes	None
30D	3.7.9	Pro	CR2	No/No	None
20D	3.7.9	Pro	CR2	No/No	None
10D	3.7.9	Pro	CRW	No/No	None
800D/Rebel T7i	10.2	Pro	CR2	Yes/Yes	None
760D/Rebel T6s	8.3.4	Pro	CR2	Yes/Yes	None
750D/Rebel T6i	8.3.4	Pro	CR2	Yes/Yes	None
700D/Rebel T5i	7.2.4	Pro	CR2	Yes/Yes	None

Model	Version Added	Required Run Modes	File Support	Tethered/Live View	Notes
650D/Rebel T4i	7.2.4	Pro	CR2	Yes/Yes	None
600D/Rebel T3i	6.4.5	Pro	CR2	Yes/Yes	None
550D/Rebel T2i	5.2.1	Pro	CR2	Yes/Yes	None
500D/Rebel T1i	4.8.3	Pro	CR2	Yes/Yes	None
450D/Rebel XSi	4.8.3	Pro	CR2	Yes/Yes	None
400D/Rebel XTi	3.7.9	Pro	CR2	No/No	None
350D/Rebel XT	3.7.9	Pro	CR2	No/No	None
300D/Rebel	3.7.9	Pro	CRW	No/No	None
200D/Rebel SL2	10.2.0	Pro	CR2	No/No	None
4000D	11.2	Pro	CR2	Yes/Yes	None
2000D	11.2	Pro	CR2	Yes/Yes	None
1300D	9.1.2	Pro	CR2	Yes/Yes	None
1200D/Rebel T5	7.2.4	Pro	CR2	Yes/Yes	None
1100D/Rebel T3	7.2.4	Pro	CR2	Yes/Yes	None
1000D/Rebel XS	4.8.3	Pro	CR2	Yes/Yes	None
100D/Rebel SL1	7.2.4	Pro	CR2	Yes/Yes	None
D60	3.7.9	Pro	CRW	No/No	None
D30	3.7.9	Pro	CRW	No/No	None
M50	12.0.0	Pro	CR3	No/No	None
M10	9.2.0	Pro	CR2	No/No	None
M6	10.2.0	Pro	CR2	No/No	None
M5	10.0.2	Pro	CR2	No/No	None
M3	8.3.4	Pro	CR2	No/No	None
M	7.2.4	Pro	CR2	No/No	None
Pro 1	3.7.9	Pro	CRW	No/No	None
G7X Mark II	9.2.0	Pro	CR2	No/No	None
G7X	8.3.4	Pro	CR2	No/No	None
G1X Mark III	12.0.4	Pro	CR2	No/No	None
G1X Mark II	7.2.4	Pro	CR2	No/No	None
G1X	6.4.5	Pro	CR2	No/No	None
G16	9.3.0	Pro	CR2	No/No	None
G15	8.3.4	Pro	CR2	No/No	None
G12	6.4.5	Pro	CR2	No/No	None
G11	5.2.1	Pro	CR2	No/No	None
G10	4.8.3	Pro	CR2	No/No	None
G9X Mark II	12.0.4	Pro	CR2	No/No	None
G9X	9.2.0	Pro	CR2	No/No	None
G9	3.7.9	Pro	CR2	No/No	None
G6	3.7.9	Pro	CRW	No/No	None

Model	Version Added	Required Run Modes	File Support	Tethered/Live View	Notes
G5X	9.2.0	Pro	CR2	No/No	None
G5	3.7.9	Pro	CRW	No/No	None
G3X	8.3.4	Pro	CR2	No/No	None
G3	3.7.9	Pro	CRW	No/No	None
G2	3.7.9	Pro	CRW	No/No	None
S120	8.3.4	Pro	CR2	No/No	None
S110	9.3.0	Pro	CR2	No/No	None
S100	6.4.5	Pro	CR2	No/No	None
S95	6.4.5	Pro	CR2	No/No	None
S90	6.4.5	Pro	CR2	No/No	None

Model	Version Added	Required run modes	File Support	Tethered/Live View	Notes
Z7	12.0.0	Pro	NEF	Yes/Yes	None
Z6	12.0.0	Pro	NEF	Yes/Yes	None
D5	9.1.1	Pro	NEF	Yes/Yes	12 bit uncompressed supported in 11.1.0 and later
D4s	7.2.4	Pro	NEF	Yes/Yes	RAW-S not supported
D4	6.4.5	Pro	NEF	Yes/Yes	RAW-S not supported
DF	7.2.4	Pro	NEF	Yes/Yes	None
D3s	5.2.1	Pro	NEF	Yes/Yes	None
D3X	4.8.3	Pro	NEF	Yes/Yes	None
D3	3.7.9	Pro	NEF	Yes/Yes	None
D2Xs	3.7.9	Pro	NEF	No/No	None
D2X	3.7.9	Pro	NEF	Yes/No*	Tethered support for Windows only
D2Hs	3.7.9	Pro	NEF	No/No	None
D2H	3.7.9	Pro	NEF	No/No	None
D1X	3.7.9	Pro	NEF	No/No	None
D1H	3.7.9	Pro	NEF	No/No	None
D850	10.2.0	Pro	NEF	Yes/Yes	12 bit uncompressed supported in 11.1.0 and later
D810	7.2.4	Pro	NEF	Yes/Yes	RAW-S not supported
D810A	8.3.4	Pro	NEF	Yes/Yes	RAW-S not supported
D800	6.4.5	Pro	NEF	Yes/Yes	RAW-S not supported
D800E	6.4.5	Pro	NEF	Yes/Yes	RAW-S not supported
D750	8.3.4	Pro	NEF	Yes/Yes	None
D700	4.8.3	Pro	NEF	Yes/Yes	None
D610	7.2.4	Pro	NEF	Yes/Yes	None
D600	7.2.4	Pro	NEF	Yes/Yes	None
D500	9.2.0	Pro	NEF	Yes/Yes	12 bit uncompressed supported in 11.1.0 and later
D300s	5.2.1	Pro	NEF	Yes/Yes	None
D300	3.7.9	Pro	NEF	Yes/Yes	None
D200	3.7.9	Pro	NEF	Yes/No*	Tethered support for Windows only
D100	3.7.9	Pro	NEF	No/No	None
D90	4.8.3	Pro	NEF	Yes/Yes	None
D80	3.7.9	Pro	NEF	Yes/No	None
D70s	3.7.9	Pro	NEF	No/No	None
D70	3.7.9	Pro	NEF	No/No	None
D60	4.8.3	Pro	NEF	Yes/No	None
D50	3.7.9	Pro	NEF	No/No	None
D40X	3.7.9	Pro	NEF	Yes/No	None
D40	3.7.9	Pro	NEF	Yes/No	None

Model	Version Added	Required run modes	File Support	Tethered/Live View	Notes
D7500	10.2.0	Pro	NEF	Yes/Yes	None
D7200	8.3.4	Pro	NEF	Yes/Yes	None
D7100	7.2.4	Pro	NEF	Yes/Yes	None
D7000	6.4.5	Pro	NEF	Yes/Yes	None
D5600	10.1.0	Pro	NEF	Yes/Yes	None
D5500	8.3.4	Pro	NEF	Yes/Yes	None
D5300	7.2.4	Pro	NEF	Yes/Yes	None
D5200	7.2.4	Pro	NEF	Yes/Yes	None
D5100	6.4.5	Pro	NEF	Yes/Yes	None
D5000	5.2.1	Pro	NEF	Yes/Yes	None
D3400	10.1.0	Pro	NEF	No/No	None
D3300	8.3.4	Pro	NEF	No/No	None
D3200	7.2.4	Pro	NEF	No/No	None
D3100	6.4.5	Pro	NEF	No/No	None
D3000	5.2.1	Pro	NEF	No/No	None
P330	7.2.4	Pro	NEF	No/No	None
P340	8.3.4	Pro	NEF	No/No	None
P7800	7.2.4	Pro	NEF	No/No	None
P7700	7.2.4	Pro	NEF	No/No	None
P7100	6.4.5	Pro	NEF	No/No	None
P7000	6.4.5	Pro	NEF	No/No	None
P6000	5.2.1	Pro	NEF	No/No	None
1 AW1	7.2.4	Pro	NEF	No/No	None
J5	10.0.2	Pro	NEF	No/No	None
J4	8.3.4	Pro	NEF	No/No	None
J3	7.2.4	Pro	NEF	No/No	None
J2	7.2.4	Pro	NEF	No/No	None
J1	6.4.5	Pro	NEF	No/No	None
V3	9.3.0	Pro	NEF	No/No	None
V2	7.2.4	Pro	NEF	No/No	None
V1	6.4.5	Pro	NEF	No/No	None
S1	7.2.4	Pro	NEF	No/No	None
Coolpix A1000	12.0.3	Pro	NEF	No/No	None
Coolpix A	7.2.4	Pro	NEF	No/No	None



Model	Version Added	Required Run Modes	File Support	Tethered/Live view	Notes
SL	9.1.0	Pro	DNG native	No/No	None
M (Typ 262)	11.1.1	Pro	DNG native	No/No	None
M (Typ 240)	7.2.4	Pro	DNG native	No/No	None
M-E (Typ 220)	7.2.4	Pro	DNG native	No/No	None
M Monochrome (Typ 246)	10.2.0	Pro	DNG native	No/No	None
M-Monochrom	7.2.4	Pro	DNG native	No/No	None
M10	10.2.0	Pro	DNG native	No/No	None
M9	4.8.3	Pro	DNG native	No/No	None
M8	3.7.9	Pro	DNG native	No/No	None
M-P	10.2.0	Pro	DNG native	No/No	None
CL	11.1.0	Pro	DNG native	No/No	None
TL2	11.1.0	Pro	DNG native	No/No	None
Q (Typ 116)	8.3.4	Pro	DNG native	No/No	None
C (Typ 112)	8.3.4	Pro	RWL	No/No	None
X-U	11.1.0	Pro	DNG native	No/No	None
X (Typ 113)	8.3.4	Pro	DNG native	No/No	None
X Vario	7.2.4	Pro	DNG native	No/No	None
X2	7.2.4	Pro	DNG native	No/No	None
X1	5.2.1	Pro	DNG native	No/No	None
T (Typ 701)	8.3.4	Pro	DNG native	No/No	None
V-Lux (Typ 114)	11.1.0	Pro	DNG native	No/No	None
V-Lux 4	7.2.4	Pro	RWL	No/No	None
D-Lux (Typ 109)	8.3.4	Pro	RWL	No/No	None
D-Lux 7	12.1.0	Pro	RWL	No/No	None
D-Lux 6	7.2.4	Pro	RWL	No/No	None
D-Lux 5	6.4.5	Pro	RWL	No/No	None
D-Lux 4	5.2.1	Pro	RW2	No/No	None
C-Lux	12.1.0	Pro	RWL	No/No	None
Digilux 3	3.7.9	Pro	RAW	No/No	None
Digital Module R	3.7.9	Pro	RAW	No/No	None

Model	Version Added	Required run modes	File Support	Tethered Support	Notes
E-M1 mkII	10.0.0	Pro	ORF	No/No	None
E-M1	8.3.4	Pro	ORF	No/No	None
E-1	3.7.9	Pro	ORF	No/No	None
E-M5 II	8.3.4	Pro	ORF	No/No	High res mode not supported
E-M5	7.2.4	Pro	ORF	No/No	None
E-M1X	12.0.3	Pro	ORF	No/No	None
E-M10 Mk III	11.1.0	Pro	ORF	No/No	None
E-M10 Mk II	9.1.0	Pro	ORF	No/No	None
E-M10	7.2.4	Pro	ORF	No/No	None
Pen-F	9.1.0	Pro	ORF	No/No	Pixel shift mode not supported
E-PL9	11.1.0	Pro	ORF	No/No	None
E-PL7	8.3.4	Pro	ORF	No/No	None
E-PL6	10.0.2	Pro	ORF	No/No	None
E-PL5	7.2.4	Pro	ORF	No/No	None
E-PL3	6.4.5	Pro	ORF	No/No	None
E-PL2	6.4.5	Pro	ORF	No/No	None
E-PL1	5.2.1	Pro	ORF	No/No	None
E-PM2	7.2.4	Pro	ORF	No/No	None
E-PM1	6.4.5	Pro	ORF	No/No	None
E-P5	7.2.4	Pro	ORF	No/No	None
E-P3	6.4.5	Pro	ORF	No/No	None
E-P2	5.2.1	Pro	ORF	No/No	None
E-P1	5.2.1	Pro	ORF	No/No	None
E-5	6.4.5	Pro	ORF	No/No	None
E-3	3.7.9	Pro	ORF	No/No	None
E-620	4.8.3	Pro	ORF	No/No	None
E-520	4.8.3	Pro	ORF	No/No	None
E-510	3.7.9	Pro	ORF	No/No	None
E-500	3.7.9	Pro	ORF	No/No	None
E-450	5.2.1	Pro	ORF	No/No	None
E-420	4.8.3	Pro	ORF	No/No	None
E-410	3.7.9	Pro	ORF	No/No	None
E-400	3.7.9	Pro	ORF	No/No	None
E-330	3.7.9	Pro	ORF	No/No	None
E-300	3.7.9	Pro	ORF	No/No	None
E-30	4.8.3	Pro	ORF	No/No	None
E-20	3.7.9	Pro	ORF	No/No	None

Model	Version Added	Required run modes	File Support	Tethered Support	Notes
E-10	3.7.9	Pro	ORF	No/No	None
C-7070	3.7.9	Pro	ORF	No/No	None
C-8080	3.7.9	Pro	ORF	No/No	None
Stylus 1	7.2.4	Pro	ORF	No/No	None
TG-5	10.2.0	Pro	ORF	No/No	None
TG-4	8.3.4	Pro	ORF	No/No	None
XZ-2 iHS	7.2.4	Pro	ORF	No/No	None
XZ-1	6.4.5	Pro	ORF	No/No	None
XZ-10	7.2.4	Pro	ORF	No/No	None

Model	Version added	Required run modes	File Support	Tethered Support	Notes
GR II	9.1.0	Pro	DNG native	No/No	None
GR	7.2.4	Pro	DNG native	No/No	None
GR DIGITAL IV	6.4.5	Pro	DNG native	No/No	None
GR DIGITAL III	6.4.5	Pro	DNG native	No/No	None
GR DIGITAL II	6.4.5	Pro	DNG native	No/No	None
GR DIGITAL	6.4.5	Pro	DNG native	No/No	None
GX200	6.4.5	Pro	DNG native	No/No	None
GX100	6.4.5	Pro	DNG native	No/No	None
GXR A16	7.2.4	Pro	DNG native	No/No	None
GXR A12	6.4.5	Pro	DNG native	No/No	None
GRX S10	6.4.5	Pro	DNG native	No/No	None
GXR P10	6.4.5	Pro	DNG native	No/No	None

Model	Version Added	Required run modes	File Support	Tethered Support	Notes
G7/ DMC-G70	9.1.2	Pro	RW2	No/No	None
G6	7.2.4	Pro	RW2	No/No	None
G5	7.2.4	Pro	RW2	No/No	None
G3	6.4.5	Pro	RW2	No/No	None
G2	6.4.5	Pro	RW2	No/No	None
G1	5.2.1	Pro	RW2	No/No	None
G10	6.4.5	Pro	RW2	No/No	None
ZS80/TZ97/TZ96/TZ95	12.0.4	Pro	RW2	No/No	None
TZ85/ZS60/TZ80	10.1.0	Pro	RW2	No/No	None
TZ200/202/220	11.2	Pro	RW2	No/No	None
ZS200/ZS220/TX2	11.2	Pro	RW2	No/No	None
TZ100/ZS100/TZ101	10.1.0	Pro	RW2	No/No	None
FZ2000/FZH1	10.1.0	Pro	RW2	No/No	None
DC-S1	12.0.3	Pro	RW2	No/No	None
DC-S1R	12.0.3	Pro	RW2	No/No	None
LX100	8.3.4	Pro	RW2	No/No	None
LX100 Mark II	12.1.0	Pro	RW2	No/No	None
LX9/LX10/LX15	10.0.2	Pro	RW2	No/No	None
LX7	7.2.4	Pro	RW2	No/No	None
LX5	6.4.5	Pro	RW2	No/No	None
LX3	6.4.5	Pro	RW2	No/No	None
FZ72	7.2.4	Pro	RW2	No/No	None
FZ45	6.4.5	Pro	RW2	No/No	None
FZ200	7.2.4	Pro	RW2	No/No	None
FZ150	7.2.4	Pro	RW2	No/No	None
FZ1000M2	12.0.4	Pro	RW2	No/No	Export to DNG not supported
FZ1000	8.3.4	Pro	RW2	No/No	Export to DNG not supported
FZ100	6.4.5	Pro	RW2	No/No	None
LF1	7.2.4	Pro	RW2	No/No	None

Model	Version Added	Required run modes	File Support	Tethered Support	Notes
K-1	9.2.0	Pro		No/No	None
K-01	7.2.4	Pro		No/No	None
K-30	7.2.4	Pro		No/No	None
K-3 II	8.3.4	Pro		No/No	None
K-3	7.2.4	Pro	PEF	No/No	PEF only
K-5 IIs	7.2.4	Pro		No/No	None
K-5 II	7.2.4	Pro		No/No	None
K-5	6.4.5	Pro		No/No	None
KP	10.1.0	Pro		No/No	None
K-70	10.1.0	Pro		No/No	None
K50	7.2.4	Pro		No/No	None
K-S2	9.1.0	Pro		No/No	None
K-r	6.4.5	Pro		No/No	None
K110D	4.8.3	Pro		No/No	None
K20D	4.8.3	Pro		No/No	None
K10D	3.7.9	Pro		No/No	None
K7	5.2.1	Pro		No/No	None
KX	5.2.1	Pro		No/No	None
K200D	4.8.3	Pro		No/No	None
K100D Super	4.8.3	Pro		No/No	None
K100D	4.8.3	Pro		No/No	None
K2000/K-m	4.8.3	Pro		No/No	None
MX-1	7.2.4	Pro		No/No	None
*istD	3.7.9	Pro		No/No	None
*istDL2	3.7.9	Pro		No/No	None
*istDL	3.7.9	Pro		No/No	None
*istDS2	3.7.9	Pro		No/No	None
*istDS	3.7.9	Pro		No/No	None
Q10	7.2.4	Pro		No/No	None
Q7	7.2.4	Pro		No/No	(FW 1.0.0 Only)
Q	6.4.5	Pro	PEF	No/No	PEF only



Samsung

Model	Version Added	Required run modes	File Support	Tethered Support	Notes
NX1	8.3.4	Pro	SRW	No/No	None
NX11	6.4.5	Pro	SRW	No/No	None
NX3000	8.3.4	Pro	SRW	No/No	None
NX2000	8.3.4	Pro	SRW	No/No	None
NX30	8.3.4	Pro	SRW	No/No	None
NX20	6.4.5	Pro	SRW	No/No	None
NX10	6.4.5	Pro	SRW	No/No	None
NX5	6.4.5	Pro	SRW	No/No	None
NXMini	8.3.4	Pro	SRW	No/No	None
NX300	7.2.4	Pro	SRW	No/No	None
NX210	6.4.5	Pro	SRW	No/No	None
NX200	6.4.5	Pro	SRW	No/No	None
NX100	6.4.5	Pro	SRW	No/No	None
NX1000	6.4.5	Pro	SRW	No/No	None
EX2F	6.4.5	Pro	SRW	No/No	None



Konica Minolta

Model	Version Added	Required run modes	File Support	Tethered Support	Notes
Alpha 5 D	3.7.9	Pro	MRW	No/No	None
Alpha 7 D	3.7.9	Pro	MRW	No/No	None
A1	3.7.9	Pro	MRW	No/No	None
A2	3.7.9	Pro	MRW	No/No	None

Other

Model	Version Added	Required run modes	File Support	Tethered Support	Notes
Cinema DNG	7.2.4	Pro	N/A	N/A	None
Linear DNG	7.2.4	Pro	N/A	N/A	None
DNG 1.4	8.3.4	Pro	N/A	N/A	None
Epson RD1	3.7.9	Pro	DNG	No/No	None
Epson RD1s	3.7.9	Pro	DNG	No/No	None
DxO One	9.0.1	Pro	DNG	No/No	Multi shoot mode not supported.

Phase One Lens Profiles (645)

Phase One

Focal plane lenses	Leaf shutter lens profiles
Digital AF 28mm f/4.5 Aspherical	LS 28mm f/4.5 Aspherical
Digital AF 35mm f/3.5	LS 35mm f/3.5 (Blue Ring)
Digital AF 45mm f/2.8	LS 40-80mm f/4.0-5.6
Digital AF 80mm f/2.8	LS 45mm f/3.5
Digital AF 150mm f/2.8 IF	LS 55mm f/2.8
Digital AF 150mm (2x Tele) f/5.6	LS 75-150mm f/4-5.6
Digital AF 120mm f/4 Macro	LS 80mm f/2.8
Digital Zoom AF 75-150mm f/4.5	LS 110mm f/2.8
Schneider-Kreuznach 120mm TS f/3.5	LS 120mm Macro f/4
MF 120mm f/4 Macro	LS 150mm f/2.8
	LS 150mm f/3.5
	LS 150mm (2x Tele) f/7.0
	LS 240mm f/4.5
	LS 240mm (2x Tele) f/9.0

Mamiya Lens Profiles (645)

Mamiya

Focal plane lenses	Leaf shutter lens profiles
Sekor MF 120mm f/4.0 Macro	Sekor LS 55mm f/2.8 D
Sekor AF 150mm f/2.8 IF D	Sekor LS 80mm f/2.8 D
Sekor AF 150mm IF D (2x Tele) f/5.6	Sekor LS 110mm f/2.8 D
Sekor AF 28mm f/4.5 Aspherical D	Sekor LS 150mm f/3.5
Sekor AF 80mm f/2.8 D	Sekor LS 150mm (2x Tele) f/7.0
A 200mm f/2.8 APO	Sekor LS 240mm f/4.5
A 300mm f/2.8 APO	Sekor LS 240mm (2x Tele) f/9.0
A 500mm f/4.5 APO	
AF 35mm f/3.5	
AF 45mm f/2.8	
Mamiya Sekor Fisheye ULD C 24mm 1:4	

A-Series and Technical Lens Profiles

Rodenstock

HR Digaron - S 5.6/23 mm
HR Digaron - W 4.0/32 mm
HR Digaron - S 4.0/35 mm
HR Digaron - W 4.0/40 mm
HR Digaron - W 4.0/50 mm
HR Digaron - W 4.0/40mm/Aerial
HR Digaron - W 4.0/50mm/Aerial
HR Digaron - W 5.6/70mm/Aerial
HR Digaron - W 5.6/70 mm
HR Digaron-SW 5.6/90 mm/Aerial
ALPA HR Alpagon 5.6/90mm
RS-32mm/Aerial
RS-40mm/Aerial
RS-50mm/Aerial
RS-70mm/Aerial
RS-90mm/Aerial

A - Series

Alpagon 5.6/23 mm
Alpar 4.0/35 mm
Alpagon 5.6/70mm

Schneider Kreuznach

Schneider RS 120mm iXG
Schneider RS 72mm iXG
Schneider Kreuznach RS-110mm/Aerial
Schneider Kreuznach RS-150mm/Aerial
Schneider Kreuznach RS-150mm MK II/Aerial

Phase One

RSM Lens 150mmAF f/5.6
RSM Lens 80mmAF f/5.6
RSM Lens 80mm f/5.6
RSM Lens 35mm f/5.6

Phase One XT Lens Profiles

Phase One XT

XT - Rodenstock HR Digaron-S 23mm f/5.6
XT - Rodenstock HR Digaron-W 32mm f/4
XT - Rodenstock HR Digaron-W 70mm f/5.6

Contax 645

Contax 645

Carl Zeiss Distagon T* 2.8/45
Carl Zeiss Distagon T* 3.5/35
Carl Zeiss Distagon T* 3.5/55
Carl Zeiss Planar T* 2/80
Carl Zeiss Apo-Makro-Planar T* 4/120
Carl Zeiss Sonnar T* 2.8/140
Carl Zeiss Sonnar T* 4/210

Hasselblad V and H

Carl Zeiss (Hasselblad V)

Distagon T* 4/40 IF CFE
Distagon T* 3.5/60 CF
Distagon T* 2.8/80
Makro-Planar T* 4/120 CFE

Hasselblad H

HC 3.5/35
HC 2.8/80
HC 2.2/100
HC 3.2/150
HC 3.5-4.5/50-110
HC 4/120
HCD 4/28

Fuji Lens Profiles

Fujifilm

FUJINON GF23mm F4 R LM WR
FUJINON GF32-64mm F4 R LM WR
FUJINON GF45mm F2.8 R WR
FUJINON GF63mm F2.8 R WR
FUJINON GF110mm F2 R LM WR
FUJINON GF120mm F4 Macro R LM OIS WR
FUJINON GF250mmF4 R LM OIS WR
FUJINON XF14mm F2.8 R
FUJINON XF16mm F1.4 R WR
FUJINON XF23mm F1.4 R
FUJINON XF80mm F2.8 R LM OIS WR Macro
FUJINON XF200mm F2 R LM OIS WR
FUJINON XF8-16mm F2.8 R LM WR
FUJINON XF10-24mm F4 R OIS
FUJINON XC15-45mm F3.5-5.6 OIS PZ
FUJINON XC16-50mm F3.5-5.6 OIS II
FUJINON XF18mm F2 R
FUJINON XF18-55mm F2.8-4 R LM OIS
FUJINON XF18-135mm F3.5-5.6 R LM OIS WR
FUJINON XF23mm F2 R WR
FUJINON XF27mm F2.8
FUJINON XF35mm F1.4 R
FUJINON XF35mm F2 R WR
FUJINON XF50mm F2 R WR
FUJINON XF50-140mm F2.8 R LM OIS WR
FUJINON XC50-230mm F4.5-6.7 OIS II
FUJINON XF55-200mm F3.5-4.8 R LM OIS
FUJINON XF56mm F1.2 R
FUJINON XF56mm F1.2 R APP
FUJINON XF60mm F2.4 R Macro
FUJINON XF90mm F2 R LM WR

Sony Lens Profiles

Sony (E- Mount)

FE 24-70mm F2.8 GM (SEL2470GM)
FE 85mm F1.8 (SEL85F18)
FE 24-105mm F4 G OSS (SEL24105G)
FE 100mm F2.8 STF GM OSS (SEL100STFGM)
FE 135mm F1.8 GSM
FE 70-200mm F2.8 GM OSS (SEL70200GM)
FE 70-200mm F4 G OSS (SEL70200G)
FE 70-200mm F2.8 GM OSS + Sony 1.4x Teleconverter (SEL14TC)
FE 70-200mm F2.8 GM OSS + Sony 2x Teleconverter (SEL20TC)
FE 70-300mm F4.5-5.6 G OSS (SEL70300G)
FE 85mm F1.4 GM (SEL85F14GM)
Zeiss Sonnar T* E 24 mm F1.8 ZA (SEL24F18Z)
Zeiss Vario-Tessar T* FE 16-35 mm F4 ZA OSS (SEL1635Z)
Zeiss Vario-Tessar T* E 16-70mm F4 ZA OSS (SEL1670Z)
Zeiss Vario-Tessar T* FE 24-70 mm F4 ZA OSS (SEL2470Z)
Zeiss Sonnar T* FE 35 mm F2.8 ZA (SEL35F28Z)
Zeiss Planar T* FE 50mm F1.4 ZA (SEL50F14Z)
Zeiss Sonnar T* FE 55mm F1.8 ZA (SEL55F18Z)
FE 12-24mm f4 G (SEL1224G)
FE 16-35mm f2.8 GM (SEL1635GM)
FE 24-240 F3.5-6.3 OSS (SEL24240)
FE 28mm F2 (SEL28F20)
FE 28mm F2 (SEL28F20) + Ultra wide converter (SEL075UWC)
FE 28mm F2 (SEL28F20) + Fisheye converter (SEL057FEC)
FE 28-70mm F3.5-5.6 OSS (SEL2870)
FE 35 mm F1.4 ZA (SEL35F14Z)
FE 50mm F1.8 (SEL50F18F)
FE 50mm F2.8 Macro (SEL50M28)
FE 100-400mm f/4.5-5.6 GM OSS (SEL100400GM)

Sony (E- Mount)

E 16mm F2.8 (SEL16F28)
E 20mm F2.8 (SEL20F28)
E 10-18mm F4 OSS (SEL1018)
E 18-55mm F3.5-5.6 OSS (SEL1855)
E PZ 16-50mm F3.5-5.6 OSS (SELP1650)
E PZ 18-105mm F4 G OSS (SELP18105G)
E 18-135mm f/3.5-5.6 OSS (SEL18135)
E 18-200mm F3.5-6.3 OSS (SEL18200)
E 18-200 mm F3.5-6.3 OSS LE (SEL18200LE)
E 30mm F3.5 Macro (SEL30M35)
E 35mm F1.8 OSS (SEL35F18)
E 50mm F1.8 OSS (SEL50F18)
E 55-210mm F4.5-6.3 OSS (SEL55210)

Sony Lens Profiles

Sony (A-Mount)

70-200mm F2.8 G SSM II (SAL70200G2)
70-200mm F2.8 G (SAL70200G)
300mm F2.8 G SSM II (SAL300F28G2)
400mm F2.8 G Master OSS Super-Telephoto (SEL400F28GM)
70-300mm F4.5-5.6 G SSM (SAL70300G)
70-300mm F4.5-5.6 G SSM II (SAL70300G2)
70-400mm F4-5.6 G SSM (SAL70400G)
70-400mm F4-5.6 G SSM II (SAL70400G2)
Zeiss Vario-Sonnar T* 16-35 mm F2.8 ZA SSM II (SAL1635Z2)
Zeiss Vario-Sonnar T* 16-35mm F2.8 ZA SSM (SAL1635Z)
Zeiss Vario-Sonnar T DT 16-80 mm F3.5-4.5 ZA (SAL1680Z)
Zeiss Vario-Sonnar T* 24-70mm F2.8 ZA SSM II (SAL2470Z2)
Zeiss Vario-Sonnar T* 24-70mm F2.8 ZA SSM (SAL2470Z)
Zeiss Distagon T* 24mm F2 ZA SSM (SAL24F20Z)
Zeiss Planar T* 85 mm F1.4 ZA (SAL85F14Z)
Zeiss Sonnar T* 135mm F1.8 ZA (SAL135F18Z)
16mm F2.8 Fisheye (SAL16F28)
20mm F2.8 (SAL20F28)
35mm F1.4G (SAL 35F14G)
50mm F1.4 (SAL50F14)
50mm F2.8 Macro (SAL50M28)
85mm F2.8 SAM (SAL85F28)
100mm F2.8 Macro (SAL100M28)
DT 11-18mm F4.5-5.6 (SAL1118)
DT 16-50mm F2.8 SSM (SAL1650)
DT 18-55mm F3.5-5.6 SAM II (SAL18552)
DT 18-250mm F3.5-6.3 (SAL18250)
DT 30mm F2.8 Macro SAM (SAL30M28)
DT 35mm F1.8 SAM (SAL35F18)
DT 50mm F1.8 SAM (SAL50F18)
DT 55-200mm F4-5.6 (SAL55200)
DT 55-200mm F4-5.6 SAM (SAL55200-2)
28-75mm F2.8 SAM (SAL2875)
135mm F2.8 [T4.5] STF (SAL135F28)

Zeiss

Zeiss Batis 2.8/18
Zeiss Batis 2/25
Zeiss Batis 1.8/85
Zeiss Batis 2.8/135
Zeiss Touit 2.8/12
Zeiss Touit 1.8/32
Zeiss Touit 2.8/50
Zeiss Loxia 2.8/21
Zeiss Loxia 2/35
Zeiss Loxia 2/50
Zeiss Loxia 2.4/85

Sigma

30mm F2.8 EX DN
60mm F2.8 DN A

Canon Lens Profiles

Canon EF

EF 11-24mm f/4L USM
EF 14mm f/2.8 II USM
EF 16-35mm f/2.8L II USM
EF 16-35mm f/2.8L III USM
EF 16-35mm f/4L IS USM
EF 17-40mm f/4L USM
EF 20mm f/2.8 USM
EF 24-70mm f/2.8L USM
EF 24-70mm f/2.8L II USM
EF 24-70mm f/4L IS USM
EF 24-105mm f/4L IS USM
EF 24-105mm f/4-5.6 IS STM
EF 24-105mm f/4-5.6 IS II USM
EF 24mm /1.4L II USM
EF 28mm f/2.8 IS USM
EF 35mm f/1.4L USM
EF 35mm f/1.4 II USM
EF 40mm f/2.8 STM
EF 50mm f/1.2L USM
EF 50mm f/1.4 USM
EF 50mm f/1.8 STM
EF 50mm f/2.5 Compact Macro
EF 70-200mm f/2.8L USM
EF 70-200mm f/2.8L IS II USM
EF 70-200mm f/2.8L IS USM
EF 70-200mm f/4 L IS USM
EF 85mm f/1.2L II USM
EF 85mm f/1.4 L USM
EF 85mm f/1.8 USM
EF 100mm f/2.8 Macro USM
EF 100mm f/2.8L Macro IS USM
EF 100-400mm f/4.5-5.6L IS USM
EF 100-400mm f/4.5-5.6L IS II USM
EF 135mm f/2L USM
EF 180mm f/3.5L Macro USM
EF 200mm f/2L IS USM
EF 300mm f/2.8L IS II USM
EF 300mm f/4L IS USM

Canon EF-S

EF-S 24mm f/2.8 STM
EF-S 10-22mm f/3.5-4.5 USM
EF-S 15-85mm f/3.5-5.6 IS USM
EF-S 17-55mm f/2.8 IS USM
EF-S 17-85mm f/4-5.6 IS USM
EF-S 18-55mm f/4-5.6 IS STM
EF-S 18-135 f/3.5-5.6 IS USM
EF-S 18-135mm f/3.5-5.6 IS STM
EF-S 18-55mm f/3.5-5.6 IS STM
EF-S 18-55mm f/3.5-5.6 IS
EF-M15-45mm f/3.5-6.3 IS STM

Canon RF

RF 50mm f/1.2L USM
RF 35mm f/1.8 MACRO
RF 28-70mm f/2 L USM

Tokina (Canon)

Tokina AT-X 16-28mm f/2.8 PRO FX

Canon Lens Profiles

Sigma (Canon EF)

Sigma 24-35mm F2 DG HSM | A
Sigma 50mm F1.4 DG HSM | A
Sigma 18-300mm F3.5-6.3 DC MACRO OS HSM | C #886
Sigma 50-100mm F1.8 DC HSM | Art #693
Sigma 85mm F1.4 DG HSM | A #321

Zeiss (Canon EF)

Zeiss Otus 1.4/28
Zeiss Milvus 21mm F2.8
Zeiss Milvus 35mm F2
Zeiss Milvus 50mm F1.4
Zeiss Milvus 50mm F2
Zeiss Milvus 85mm F1.4
Zeiss Milvus 100mm F2

Tamron (Canon EF)

SP 15-30mm F/2.8 Di VC USD
SP 24-70mm F/2.8 Di VC USD
SP 24-70mm F/2.8 Di VC USD A007
SP 150-600mm F/5-6.3 Di VC USD
SP 150-600mm F/5-6.3 Di VC USD G2
16-300mm F/3.5-6.3 Di II VC PZD MACRO B016
28-300mm F/3.5-6.3 Di VC PZD A010
SP 35mm F/1.8 Di VC USD F012
SP 70-200mm F/2.8 Di VC USD G2 A025
SP 90mm F/2.8 Di MACRO 1:1 VC USD F017

Sigma (Canon EF)

8-16mm F4.5-5.6 DC HSM
10-20mm F3.5 EX DC HSM
105mm F2.8 EX DG OS HSM Macro
120-400mm F4.5-5.6 DG APO OS HSM
120-300mm F2.8 DG OS HSM | S
150-500mm F5-6.3 APO DG OS HSM
150mm F2.8 EX DG OS HSM APO Macro
17-50mm F2.8 EX DC OS HSM
17-70mm F2.8-4 DC Macro OS HSM | C
18-200mm F3.5-6.3 II DC OS HSM
18-250mm F3.5-6.3 DC MACRO OS HSM
18-35mm F1.8 DC HSM | A
24-105mm F4 DG OS HSM | Art
24-70mm F2.8 IF EX DG HSM
24mm F1.8 EX DG ASP Macro
28mm F1.8 EX DG ASP Macro
30mm F1.4 EX DC HSM
50mm F1.4 EX DG HSM
50mm F2.8 EX DG Macro
85mm F1.4 EX DG HSM
APO 50-150mm F2.8 EX DC OS HSM
APO 70-200mm F2.8 EX DG OS HSM
10-20mm F4-5.6 EX DC HSM
50- 500mm F4.5-6.3 APO DG OS HSM
70-300mm F4-5.6 APO DG Macro
APO Macro 180mm F2.8 EX DG OS HSM

Nikon Lens Profiles

Nikon

AF NIKKOR 20mm f/2.8D
NIKKOR Z 24-70mm f/4 S
AF NIKKOR 28-105mm f/3.5-4.5 D IF
AF NIKKOR 35-70mm f/2.8D
AF NIKKOR 35mm f/2D
AF NIKKOR 50mm f/1.8D
AF-S NIKKOR 20mm f/1.8G ED
AF-S DX NIKKOR 16-80mm f/2.8-4E ED VR
AF-S DX NIKKOR 16-85mm f/3.5-5.6G ED VR
AF-S DX NIKKOR 18-70mm f/3.5-4.5G IF-ED
AF-S DX NIKKOR 18-105mm f/3.5-5.6G ED VR
Nikon AF-S DX NIKKOR 18-135mm f/3.5-5.6G IF-ED
AF-S DX NIKKOR 18-200mm f/3.5-5.6G ED VR
AF-S DX NIKKOR 18-300mm f/3.5-5.6G ED VR
AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR
AF-S DX NIKKOR 35mm f/1.8G
AF-S DX Zoom-Nikkor 17-55mm f/2.8G IF-ED
AF-S NIKKOR 14-24mm f/2.8G ED
AF-S NIKKOR 16-35mm f/4G ED VR
AF-S NIKKOR 17-35mm f/2.8 ED
AF-S NIKKOR 24-120mm f/4G ED VR
AF-S NIKKOR 24-70mm f/2.8E ED VR
AF-S NIKKOR 24-70mm f/2.8G ED
AF-S NIKKOR 24-85mm f/3.5-4.5G ED VR
AF-S NIKKOR 24mm f/1.4G ED
AF-S NIKKOR 28mm f/2.8ED
AF-S NIKKOR 28-300mm f/3.5-5.6G ED VR
AF-S NIKKOR 28-70mm f/2.8D IF-ED
AF-S NIKKOR 35mm f/1.4G
AF-S NIKKOR 35mm f/1.8G ED
AF-S NIKKOR 50mm f/1.4G
AF-S NIKKOR 50mm f/1.8G
AF-S NIKKOR 58 mm 1.4G
AF-S NIKKOR 70-200mm f/2.8E FL ED VR
AF-S NIKKOR 70-200mm f/2.8G ED VR II
AF-S NIKKOR 70-200mm f/2.8G ED VR
AF-S NIKKOR 70-200mm f/4G ED VR
AF-S NIKKOR 85mm f/1.4G

Nikon

AF-S NIKKOR 85mm f/1.8G
AF-S NIKKOR 105mm f/1.4E ED
AF-S VR Micro-Nikkor 105mm f/2.8G IF-ED
AF-S Micro-Nikkor 60mm f/2.8GED
AF-S VR Zoom 70-300mm f/4.5-5.6G IF- ED
AF DC-Nikkor 135mm f/2D
1 NIKKOR 11-27.5mm f/3.5-5.6
1 NIKKOR VR 10-30mm f/3.5-5.6
1 NIKKOR AW 11-27.5mm f/3.5-5.6
1 NIKKOR AW 10mm f/2.8
AF-P DX NIKKOR 70-300mm f/4.5-6.3G ED VR
1 Nikkor VR 6.7-13 mm F/3.5-5.6

Sigma (Nikon F)

19mm f2.8 EX DN
20mm F1.8 EX DG ASP RF
24mm F1.4 DG HSM | A
Sigma 24mm F1.4 DG HSM | A #401
30mm F1.4 DC HSM | A
35mm F1.4 DG HSM | A
70mm F2.8 EX DG Macro
12-24mm F4.5-5.6 DG HSM II
70-300mm F4-5.6 DG OS
120-300mm F2.8 EX DG OS APO HSM
150-600 F5-6.3 DG OS HSM

Nikon Z

NIKKOR Z 35mm f/1.8 S
NIKKOR Z 50mm f/1.8 S
NIKKOR Z 14-30mm f/4 S
NIKKOR Z 24-70mm f/4 S
NIKKOR Z 24-70mm f/2.8 S

Nikon Lens Profiles

Carl Zeiss (Nikon F)

Otus 55mm f1.4
Otus 85mm f1.4
Zeiss Milvus 2.8/15
Zeiss Milvus 2.8/18
Zeiss Milvus 2/135
Distagon T* 2/35mm ZF.2
Distagon T* 1.4/35mm ZF.2
Zeiss Distagon T* 3.5/18mm ZF.2
Zeiss Distagon T* 2.8/21mm ZF.2
Zeiss Distagon T* 2.8/15mm ZF.2
Zeiss Distagon T* 2/28mm ZF.2
Zeiss Distagon T* 3.5/18mm ZF.2
Zeiss Distagon T* 2.8/25mm ZF.2
Zeiss Distagon T* 2/25mm ZF.2
Zeiss Distagon T* 2.8/25mm ZF.2
Planar T* 1,4/50mm ZF.2
Makro Planar T* 2/50mm ZF.2
Planar T* 1.4/85mm ZF.2
Makro Planar 2/100mm ZF.2
Apo Sonnar T* 2/135mm ZF.2

Tokina (Nikon F)

Tokina AT-X 11-16mm F/2.8 PRO DX II
Tokina AT-X 11-20mm F/2.8 PRO DX
Tokina AT-X 16-28mm F/2.8 PRO FX
Tokina AT-X M100mm AF PRO D

Tamron (Nikon F)

16-300mm F/3.5-6.3 Di II VC PZD MACRO B016
28-300mm F/3.5-6.3 Di VC PZD A010
SP 35mm F/1.8 Di VC USD F012
SP 24-70mm F/2.8 Di VC USD A007
SP 70-200mm F/2.8 Di VC USD G2 A025
SP 90mm F/2.8 Di MACRO 1:1 VC USD F017

Olympus Lens Profiles

Olympus

M.ZUIKO DIGITAL 17mm 1:2.8 Pancake
M.ZUIKO DIGITAL ED 17mm f/1.2 PRO
M.ZUIKO DIGITAL 25mm 1:1.8
M.ZUIKO DIGITAL 45mm 1:1.8
M.ZUIKO DIGITAL ED 45mm f/1.2 PRO
M.ZUIKO DIGITAL ED 7-14mm f2.8 PRO
M.ZUIKO DIGITAL ED 9-18mm 1:4.0-5.6
M.ZUIKO DIGITAL ED 12-40mm 1:2.8
M.ZUIKO DIGITAL ED 12-100mm f/4 IS PRO
M.ZUIKO DIGITAL 14-42mm 1:3.5-5.6 II R
M.ZUIKO DIGITAL ED 14-150mm 1:4.0-5.6 II
M.ZUIKO DIGITAL ED 40-150mm f/2.8 Pro
M.ZUIKO DIGITAL ED 40-150mm 1:4.0-5.6 R
M.ZUIKO DIGITAL ED 12-50mm 1:3.5- 6.3 EZ
M.ZUIKO DIGITAL ED 12mm 1:2.0
M.ZUIKO DIGITAL ED 17mm 1:1.8
M.ZUIKO DIGITAL ED 25mm f/1.2 PRO
M.ZUIKO DIGITAL ED 60mm 1:2.8 Macro
M.ZUIKO DIGITAL ED 75-300mm 1:4.8-6.7
M.ZUIKO DIGITAL ED 75mm 1:1.8
ZUIKO DIGITAL ED 7-14mm 1:4.0
ZUIKO DIGITAL 11-22mm 1:2.8-3.5
ZUIKO DIGITAL ED 12-60mm 1:2.8-4.0 SWD
ZUIKO DIGITAL ED 14-35mm 1:2.0 SWD
ZUIKO DIGITAL 14-54mm 1:2.8-3.5 II
ZUIKO DIGITAL ED 50mm 1:2.0 Macro
ZUIKO DIGITAL ED 150mm 1:2.0
ZUIKO DIGITAL ED 300mm 1:2.8.
ZUIKO DIGITAL ED 50-200mm 1:2.8-3.5 SWD
ZUIKO DIGITAL ED 90_250mm 1:2.8
ZUIKO DIGITAL ED 35_100mm 1:2.0
ZUIKO DIGITAL ED 8mm Fisheye 1:3.5
M.ZUIKO ED 8mm F1.8 Fisheye PRO

Voigtländer

Voigtländer 10mm/F5.6 Hyper Wide Heliar
Voigtlander Heliar-Ultra Wide 12mm f/5.6 ASPH
Voigtländer 15mm/F4.5 Super Wide Heliar III
Voigtlander Nokton Classic 35mm f/1.4
Voigtlander Nokton 40mm f/1.2 ASPH
Voigtlander MACRO APO-LANTHAR 65mm f/2 ASPH
Voigtländer 17,5 mm/F0,95 Nokton MFT
Voigtländer 42,5mm/F0,95 Nokton
Voigtländer 25mm/F0,95 Nokton II
Voigtländer 10,5 mm/F0,95 Nokton MFT

Pentax Lens Profiles

Pentax

SMC-DA 15mm F4 AL Limited
DA 18-50mm f4-5.6 DC WR RE
SMC-DA 18-55mm F3.5-5.6 AL WR
SMC-DA 21mm F3.2 AL Limited
SMC-FA 31mm F1.8 Limited
SMC-FA 35mm F2 AL
SMC-FA 43mm F1.9 Limited
SMC-FA 50mm F1.4
SMC-DA 70mm F2.4 Limited
SMC-D FA 100mm F2.8 WR

Panasonic Lens Profiles

Panasonic

LUMIX G 14mm F2.5 ASPH.
LUMIX G 20mm F1.7 ASPH.
LUMIX G Vario 7-14mm F4 ASPH
LUMIX G X VARIO 12-35mm F2.8 ASPH. POWER O.I.S
LUMIX G Vario 12-60mm f/3.5-5.6 ASPH. POWER O.I.S. (H-FS12060)
LUMIX G VARIO 14-42 f3.5-5.6 II ASPH. O.I.S.
LUMIX G VARIO 14-42mm F3.5-5.6 ASPH. MEGA O.I.S.
LUMIX G Vario 14-140mm f3.5-5.6
LUMIX G Vario 14-140mm f3.5-5.6 ASPH Power O.I.S
LUMIX G LEICA DG VARIO-ELMAR Lens, 100-400mm F4.0-6.3 ASPH
LUMIX G 25mm f/1.7 ASPH (H-H025)
LUMIX G Fisheye 8mm f/3.5 (H-F008)
LUMIX G MACRO 30mm f/2.8 ASPH. MEGA O.I.S. (H-HS030)
LUMIX G X Vario PZ 14-42mm f/3.5-5.6 ASPH Power O.I.S. (H-PS14042)
LUMIX G X Vario PZ 45-175mm f/4.0-5.6 ASPH (H-PS45175)
Leica DG Macro-Elmarit 45mm f/2.8 ASPH MEGA O.I.S. (H-ES045)
Lumix G X Vario 35-100mm F2.8
Leica DG Summilux 12mm f/1.4 ASPH (H-X012)
Leica DG Vario-Elmarit 8-18mm f/2.8-4 ASPH (H-E08018)
LUMIX G Leica DG Nocticron 42.5mm f/1.2 ASPH Power OIS (H-NS043)
LUMIX G Vario 100-300mm f/4-5.6 II POWER O.I.S. (H-FSA1003004A)
LUMIX G Vario 45-200mm f/4-5.6 II POWER O.I.S. (H-FSA45200)

Leica Lens Profiles

Leica

Leica Tri-Elmar-M 16-18-21mm f/4 ASPH
Leica Vario Elmar TL 3.5-5.6/18-56 ASPH
Leica Elmarit TL 2.8/18 ASPH
Leica Super-Elmar-M 18mm f3.8 ASPH
Leica Summilux-M 21mm f1.4 ASPH
Leica Elmarit-M 21mm f/2.8 ASPH
Leica Super-Elmar-M 21mm f/3.4 ASPH
Leica Summicron TL 2/23 ASPH
Leica Summilux-M 24mm f/1.4 ASPH
Leica Elmarit-M 24mm f/2.8 ASPH
Leica Elmar-M 24mm f/3.8 ASPH
Leica Vario-Elmarit-SL 2,8-4/24-90 ASPH
Leica Summilux-M 28mm f/1.4 ASPH.
Leica Summicron-M 28mm f/2 ASPH.
Leica Summaron-M 28mm f/5.6
Leica Tri-Elmar-M 28-35-50mm f/4 ASPH
Leica Summilux TL 1.4/35 ASPH
Leica Summilux-M 35mm f/1.4 ASPH
Leica Summicron-M 35mm f/2 ASPH
Leica Summarit-M 35mm f/2.4 ASPH
Leica Noctilux-M 50mm f/0.95 ASPH
Leica Noctilux-M 50mm f/1 ASPH
Leica Summilux-M 50mm f/1.4 ASPH
Leica Summilux-SL 50mm f/1.4 ASPH
Leica Summicron-M 50mm f.2
Leica APO-Summicron-M 50mm f/2 ASPH
Leica Summarit-M 50mm f/2.4
Leica APO-Summicron-M 75mm f/2 ASPH
Leica Apo-Summicron-SL 2/75 ASPH
Leica Summarit-M 75mm f/2.5
Leica APO-Summicron-M 90mm f/2 ASPH
Leica Summicron M 90mm f2
Leica Apo-Summicron-SL 2/90 ASPH
Leica APO-Vario-Elmarit-SL 90-280mm f/2.8-4
Leica Summarit-M 90mm f/2.5
Leica Elmarit M 90mm f2.8
Leica Apo-Telyt-M 135mm f3.4 ASPH

Fixed Lens Profiles

Fixed Lens cameras

